

INDEX OF AUTHORS' NAMES.

ABSTRACTS. 1883.

A.

Abeles, M., secretion of the kidney fed with defibrinated blood, 875.
 Abelli, M., chlorides of ortho- and meta-nitrobenzyl, 1092.
 Abney, W. de W., and R. Festing, atmospheric absorption of the infrared of the solar spectrum, 837.
 Abraham, K., the currents of the gases in sulphuric acid chambers, 129.
 Agrestini, A., derivatives of naphthalene hexhydrides, 345.
 Albrecht. See Will.
 Allen, J. C., nitronaphthalene-disulphonic acids, 596.
 Alexejeff, W., mutual solution of liquids, 11.
 Allen, A. H., action of water on lead, 128.
 Allen, C. L., composition of two specimens of jade, 163.
 Allihn, F., reducing power of grape-sugar for alkaline copper solutions, 244.
 Allihn. See also Degener.
 Amagat, E. H., compressibility of nitrogen, 150.
 Amthor, C., glycerol in beer, 385.
 —— studies on ripe grapes, 881.
 Anacker, poisoning of cattle by earth-nut-cake, 818.
 André, G., ammonio-bromides and oxy-bromides of zinc, 713.
 —— double chlorides of lead and ammonium and oxychlorides of lead, 717.
 —— double salts of lead, 903.
 Andreasch, R., oxidation of the bases obtained by the action of halogen compounds on thiocarbamide, 664.
 —— potassium ethylene-disulphonate, 912.
 Andreasch. See also Maly.

Anschütz, R., action of aluminium bromide on symmetrical dibromoethylene and benzene, 807.

VOL. XLIV.

Anschütz, R., and F. Eltzbacher, new synthesis of anthracene, 809.
 —— —— synthesis of unsymmetrical tetraphenylethane, 1132.
 Ans dell, G., critical point of mixed gases, 277.
 Arbos, J., pyrolein, 519.
 Archbold, G., a new method of manufacturing paper pulp, 759.
 Arnell, K. E., α -chloronaphthyl-sulphonic acid, 595.
 Arnold, C., estimation of organic nitrogen, 378.
 —— new colour reactions of the alkaloids, 386.
 —— poisonous principles contained in certain lupines, 740.
 Arnold, H., bromine amalgamation process, 399.
 Aronstein, L., transformation of propyl bromide into isopropylbromide, under the influence of heat, 172.
 Arzruni, A., artificial and natural gyllussite, 430.
 —— dietrichite, 433.
 —— jadeite axe from Rabbes, Hanover, 437.
 Arzruni. See also Cossa.
 Aschan, O., action of phenylthiocarbimide on amido-acids, 1107.
 Aschenbrandt, H., paradiethylbenzene, 318.
 Attfield, J., sap, 1164.
 Atwater, W. O., chemistry of fish, 1179.
 Aubin. See Müntz.
 Austin, P. T., preparation of stannic oxide from sodium stannate, 425.
 Austin, P. T., and G. B. Hurff, reduction of ferric salts, 511.

B.

Bachmann, A., aldehydethyl chloride and behaviour of acetals to alcohols at a high temperature, 726.

4 k

- Bachmeyer, W., test for organic acids in phenol, 385.
 —— test for sodium carbonate in milk, 385.
- Baerwald, C., analysis of a pyromorphite from Zähringen in Baden, 1063.
 —— analysis of crocosite, 1063.
 —— thenardite from Aguas Blancas, 434.
- Baeyer, A., benzoylacetic acid, 336.
 —— nitroso-oxindole and nitroso-indoxyl, 1131.
- Baeyer, A., and P. Becker, para-nitrobenzaldehyde and acetone, 1120.
- Baeyer, A., and F. Bloem, orthamido-phenylpropionic acid and its derivatives, 196.
- Baeyer, A., and W. Comstock, oxindole and isatoxime, 1130.
- Baeyer, A., and V. Drewsen, preparation of indigo-blue from ortho-nitrobenzaldehyde, 341.
- Baeyer, A., and S. Oeconomides, isatin, 201.
- Bahrmann, R., amarine and furfurine, 799.
- Bailey, E., dried alum, 1053.
- Balbiano, L., dry distillation of sodium dibromanisate, 1125.
- Ballo, M., carl'onic hydrate, 574.
 —— platinised magnesium as a reducing agent, 1053.
- Balsohn. See Friedel.
- Bamberger, E., Bechi's so-called pieranalcime from Monte Catini mine, Monte Caporciano, 438.
 —— dicyanodiamide, 907, 1090.
 —— formation of phenylxanthamide, 185.
 —— melanuric acid, 1086.
- Barbier, P., liquid terebenthene hydrochlorides, 809.
- Barbieri. See Schulze.
- Baret, chlorophyllite from Loquidy, near Nantes, 443.
- Barff, and others, preservation of milk, &c., 253.
- Barker, G. F., secondary batteries, 765.
- Barlow, W. H., mechanical properties of aluminium, 424.
- Barner, F., crystallographic examination of α - β -dinitroparaxylene and of dinitroparaxylene (m. p. 93°), 179.
- Barnes, J. B., separation of chlorine, bromine, and iodine, 1167.
- Barret. See Wood.
- Barth, L., and J. Schreder, action of melting potassium hydroxide on benzoic acid, 468.
 —— —— fusion of orcinol and gallic acid with soda, 59.
 —— —— hydroxyquinol, the third isomeric trihydroxybenzene, 987.
- Barth. See also Nessler.
- Barthélemy, A., respiration of aquatic and submerged aero-aquatic plants, 747.
- Bartoli, A., constitution of electrolytes, 540.
- Bartoli, A., and G. Papasogli, electrolysis of hydrofluoric acid and of potassium antimonate with carbon electrodes, 590.
 —— —— electrolysis of water and of solutions of boric acid, 540.
 —— —— electrolysis with carbon electrodes of solutions of binary compounds and of various acids and salts, 592.
- Basaroff, A., oxidation of sulphur in the air, 551.
- Bastelaer, A. v., analysis of butter, 246.
- Baubigny, transformation of amides into amines, 175.
- Baubigny, H., action of ammonium sulphide on stannous sulphide, 22.
 —— action of heat on an acid solution of nickel sulphate in presence of hydrogen sulphide, 25.
 —— action of hydrogen sulphide on nickel sulphate in acetic acid solution, 25.
 —— action of hydrogen sulphide on solutions of normal nickel sulphate, 24.
- Baudet, prevention of boiler incrustation, 408.
- Baudrowski, E., acetylenedicarboxylic acid, 313.
 —— propargylic acid, 314.
- Bauer, A., new acids of the series $C_nH_{2n-4}O_6$, 970.
 —— pimelic acid, 998.
- Bauer, A. H., preservation of beer, 136.
- Bauer, E., influence of invertin on the fermentation of cane-sugar, 101.
 —— nature and formation of dextran, 105.
- Bauer, M., diopptase from the Cordilleras of Chili, 446.
- Bauer. See also Classen.
- Baumann, E., detection and estimation of phenols and oxy-acids in the urine, 885.
- Baumert, G., action of dehydrating agents on lupinine, 100.
 —— preparation of lupinine hydrochloride from lupinine residues, 224.
- Baumhauer, H., the trapezohedral hemihedry of strychnine sulphate, 485.
- Baur, C., radiation of rock-salt at various temperatures, 702.

- Baur, H. v., and W. Staedel, dimethylxylidines, dimethylmetachloraniline, and dimethylmetamido-phenetoin, 579.
- Becchi, E., prehnite and laumontite from Monte Catini, 442.
- Becchi. See also Corsi.
- Béchamp, A., action of hydrogen peroxide on the red colouring-matter of the blood and on haematosin, 103.
- decomposition of hydrogen peroxide by certain organised bodies, 103.
- evolution of oxygen from hydrogen peroxide by fibrin, 225.
- microzymas, the cause of the decomposition of hydrogen peroxide by animal tissues, 103.
- spontaneous fermentation of animal matter, 226.
- zymase of human milk, 926.
- Beck, W. v., and J. W. v. Muschketow, nephrite, 1068.
- Becke, F., euclase from the Alps, 34.
- hornblende and anthrophyllite after olivine, 444.
- Becker. See Baeyer and Claus.
- Beckmann, E., barium aluminates, 289, 649.
- basic halogen salts of barium, 649.
- Becker, P., metanitrodiphenylmethane, 202.
- Becquerel, H., observations of infrared spectra by means of phosphorescence, 761.
- Beer, A., itamic acid, paraconic, and aconic acids, 457.
- Behr. See Soxhlet.
- Beilstein, F., and E. Wiegand, alkylsulphamic acid, 971.
- — Caucasian ozokerite, 1073.
- — some ethereal oils, 346.
- Bell, J., chemistry of food, 1160.
- Bellati, H., and R. Romanese, specific heat and heat of transformation of silver iodide and its alloys with cuprous and lead iodides, 274.
- Bemmelen, J. M. v., glucinum hydrated oxides, 291.
- Bender. See Berthelsen.
- Benedikt, R., chloroxy- and bromoxy-derivatives of benzene, 984.
- nitro-derivatives of resorcinol, 803.
- test for resorcinol dyes, 689.
- Benedikt, R., and M. v. Schmidt, halogen-derivatives, 1118.
- Benz, G., primary and secondary naphthylamines, 594.
- Berger. See Höning.
- Berthelsen, A., methylene-blue, 916.
- formation of nitril bases from organic acids and amines, 1099.
- Berthelsen, A., nitrotoluidines from liquid nitrotoluene, 579.
- preparation of the base $C_{19}H_{13}N$ from benzyldiphenylamine, 580.
- Berthelsen, A., and F. Bender, acridine, 1134.
- — derivatives of styrolene, 70.
- — synthesis of acridines, 1133.
- Berthelot, alkaline thiosulphates, 707.
- alkaline metasulphites, 704.
- alkaline sulphites, 704.
- Berthelot's laws and the combinations of mercuric oxide with acids, 10.
- chromates, 707.
- decomposition of cyanogen, 303.
- direct combination of hydrogen with ethylene, 565.
- ethyl peroxide, 305.
- ethylene oxide, 174, 275.
- heat of formation of chromic acid, 642.
- lead iodides, 275.
- natural formation of manganese dioxide, and some reactions of peroxides, 425.
- perchloric acid, 8.
- properties of chlorinated organic gases and vapours, 394.
- reactions between sulphur, sulphur oxides, carbon, and carbon oxides, 551.
- reciprocal displacements of the halogens, 8.
- some relations between temperatures of combustion, specific heats, dissociation, and pressure of explosive mixtures, 771.
- the light emitted by comets, 261.
- Berthelot and Ilosvay, double salts formed by fusion, 11.
- Berthelot and J. Ogier, researches on the hyponitrites, 422.
- — specific heat of gaseous acetic acid, 6.
- Berthelot and Vieille, nitrogen selenide, 707.
- — wave of explosion, 777.
- Bertrand, E., optical properties of cobalt carbonate, 1062.
- optical properties of nocerine, 1060.
- waltherite from Joachimsthal, 36.
- Bertrand, E., and Damour, zinc aluminate, a new mineral species, 443.
- Beseler, manuring sugar-beet with acids, 238.
- Besthorn, E., and O. Fischer, a new class of colouring matters, 600.
- Biechat, E., and R. Blondlot, oscillations of the plane of polarisation by electric discharge, 4.
- Bidwell, J., electric resistance of carbon contacts, 841.

- Billitz, G., and K. Heumann, new modes of formation of pyrosulphuric chloride and of chlorosulphonic acid, 710.
- Billwiller, R., influence of fallen snow on the temperature of the air, 500.
- Binder. See Prudhomme.
- Binz, C., behaviour of ozone with blood, 486.
- Bischoff, C., distribution of poisons in the human organism in cases of poisoning, 1020.
- Bischoff, C. A., action of the alkyl-derivatives of the halogen substituted fatty acids on aniline, 919.
- ethereal salts of propenyltricarboxylic acid, 45.
- ethyl ethenyltricarboxylate, 45.
- ethyl isallylenetetracarboxylate, 46.
- ethyl monochlorethethyltricarboxylate, 45.
- synthesis of ketonic acids, 912.
- Bischoff. See also Conrad.
- Blake, J., relative toxic power of metallic salts, 745.
- Blarez, plastering of wines, 252.
- Blas and Miest, extraction of the precious metals from all kinds of ores by electrolysis, 134.
- Blaserna, P., and S. Cannizzaro, report on a memoir by R. Schiff "On the molecular volumes of liquids," 279.
- Blendermann, H., formation and decomposition of tyrosine in the body, 818, 876.
- Bloem. See Baeyer.
- Blomstrand, C. W., oxy-acids of chlorine, 645.
- Blondlot. See Bichat.
- Bloxam, C. L., reconversion of nitroglycerol into glycerol, 788.
- use of bromine in testing for alkaloids, 1036, 1175.
- Blumlein. See Plöchl.
- Bockorny. See Loew.
- Bodewig, C., analyses of magnetic pyrites, 1061.
- Böcker. See Meissl.
- Bockmann, F., manufacture of sorgho- and imphy-sugar in the United States, 633.
- Böhm, J., formation of starch from sugar, 820.
- Böhmer, C., albuminoïd and non-albuminoïd nitrogen compounds of certain vegetables, 236.
- estimation of nitric oxide and nitric acid, 508.
- Börnstein, E., methylanthraquinone and some of its derivatives, 70.
- Boessneck, P., derivatives of α -naphthoic acid, 807.
- methylnaphthalene, 1135.
- α -naphthoic cyanide, 595.
- Böttcher, W., anhydro-compounds, 800.
- molecular transformations, 1113.
- Bohn, R., and K. Henmann, parazophenol, 583.
- Boisbaudran, L. de, iridium potassium sulphate, 905.
- reactions of iridium, 905.
- separation of gallium, 21, 153, 156, 233, 715, 1054.
- violet iridium sulphate, 1057.
- Bollert, A., derivatives of anthramine, 1139.
- Bolton, H. C., application of organic acids to the examination of minerals, 857.
- Bongartz, J., atomic weight of antimony, 1056.
- Borchers, W., method of determining hydrochloric, hydrocyanic, and thiocyanic acids when simultaneously present, 1173.
- Borgmann, photoelectric battery, 625.
- Borgmann, E., presence of formic and acetic acids in plants, 611.
- relation between the glycerol and alcohol in wine, 518.
- sulphuric acid in sherry, 829.
- Borgmann. See also Fresenius and Gabriel.
- Bornträger, H., preparation of selenium on a large scale, 852.
- Bosshard. See Schulze.
- Bottinger, C., anilpyruvic acid, 1128.
- Bouchart. See Noëltинг.
- Bourgeois, L., artificial production of witherite, strontianite, and calcite, 31.
- artificial production of wollastonite and meionite, 560.
- Boussingault, bronze implement used by the miners of Peru, 691.
- cultivation of the cacao-tree, 933.
- deposits of manganese on the surfaces of rocks, 170.
- mineral combustibles, 941.
- Braithwaite. See Naylor.
- Brame, C., certain properties of hydrogen cyanide, 129.
- Brandl, J., chemical composition of minerals of the cryolite group, 29.
- Brantley, E., estimation of haemoglobin in blood by optical means, 394.
- Brard, currents produced by fused nitrates in contact with incandescent carbon, 273.
- fuel to produce electricity, 626.
- Braun, F., electrical energy and chemical action, 413.

Braun, F., electromotive force of certain galvanic combinations, 764.
 Braun, J., unipolar conductivity of solid bodies, 769.
 Brauner, B., didymium, 18.
 Brauns, R., cause of the anomalous double refraction of certain salts crystallising in the regular system, 1041.
 Brauns. See also Zincke.
 Bredt, J., action of nitric acid on fatty acids containing the isopropyl group, 176.
 Brezina. See Gallia.
 Brieger, L., putrefaction alkaloids, 924, 1159.
 Britton, B., normal solutions for the volumetric estimation of iron, 241.
 Brockhaus, experiments on the poisonous action of potato-brandy, 362.
 Brögger, W. C., the silurian rocks of Christiania, 723.
 Broockmann, K., estimation of phosphoric acid and of magnesia, 380.
 Broun, P. H., ethoxymetatoluic acid, 471.
 Brücker, E., alkophyr, and the true and so-called biuret reaction, 1019.
 Brugelmann, G., experiments on crystallisation, exemplifying Berthelot's law of affinity, 148.
 — observations on crystallisation, 147.
 Brun, A., galena with octohedral cleavage, 428.
 — mineralogical notes, 31.
 Brunck, H., and C. Graebe, soluble alizarin-blue, 74.
 Brunton, T. L., and T. Cash, action of calcium, barium, and potassium salts on muscle, 875.
 Brush, G. J., and E. S. Dana, spodumene and the products of its alteration, 438.
 Bürow, F., new process for preparing press cake from maize, &c., 695.
 Buri, E., hydropiperic and piperhydronic acids, 485.
 Busse, preservation of milk, 254.
 Butlerow, A., notice on the atomic weights, 846.

C.

Calm, A., paradichlorazobenzene-mono-sulphonic acid, 341.
 Cannizzaro, S., and G. Carnelutti, santonous and isosantonous acids, 77.
 Cannizzaro. See also Blaserna.
 Canzoneri, F., dibromonaphthalene from β -naphthol, 67.

Canzoneri, F., and P. Spica, brominated derivative of toluquinone, 330.
 Carnelutti. See Cannizzaro.
 Carrières, E. A., and others, phylloxera, and means for its destruction, 680.
 Casamajor, P., asbestos filters, 506.
 — detection of anhydrous glucose mixed with refined cane-sugar, 884.
 Cash. See Brunton.
 Cathrein, A., chemical composition of diallage, 1068.
 — saussurite, 1066.
 Caul, B. H., liquid extract of cinchona, 693.
 Cazeneuve, P., a new monochloro-camphor, 214.
 — chloronitrocumphor, 667.
 — physical isomerism of monochloro-camphor, 598.
 Ceresole, M., acetoacetic acids, 41.
 — violuric acid, 913.
 Ceresole. See also V. Meyer.
 Chancel, G., alkyl nitrous acids, 914.
 Chandelon, T., chlorophenols obtained by the action of alkaline hypochlorites on phenol, 1108.
 — volumetric estimation of phenol, 124.
 Chanlaroff, M., action of thiacetic acid on ethyl thiocyanate, 39.
 Chapoteaut, P., essence of sandalwood, 76.
 — the gastric juice, 103.
 Chappuis, P., evolution of heat in the absorption of gases by solids and liquids, 702.
 de Chardonnet, reflection of actinic rays: influence of the reflecting surface, 138.
 Chatin, M., hygienic action of maize as fodder, 488.
 Chicandard, A., fermentation of bread, 1179.
 Chittenden, R. H., and J. S. Ely, alkalinity and diastatic action of human saliva, 488.
 Ciamician, G. L., and M. Dennstedt, action of cyanogen chloride on potassium-pyrroline, 599.
 — — — action of nascent hydrogen on pyrroline, 82, 1142.
 — — — compounds of the pyrroline series, 350.
 — — — derivatives of citraconic acid, 312.
 Claassen, E., mineralogical notes, 1066.
 Clark, W. I., ethyl acetate, 1080.
 Classen, A., and O. Bauer, use of

- hydrogen peroxide in analytical chemistry, 934.
- Classen, E., analysis of a variety of siderite, 559.
- Claus, A., amarine, 203.
— cymenesulphonic acids, 1129.
— dibromosuccinic acid and diamido-succinic acid, 43.
— occurrence and estimation of free tartaric acid in wine, 935.
— sulphonic acids of paracymene, 918.
- Claus, A., and H. Becker, trinitrotoluene and liquid dinitrotoluene, 1093.
- Claus, A., and K. Elbs, amarine, 982.
- Claus, A., and F. Glyckherr, oxidation of quinoline benzyl chloride, 1009.
- Claus, A., and G. Hemmann, azo-phthalic acid, 1126.
- Claus, A., and H. Lippe, oxidation of pentachloronaphthalene, 921.
- Claus, A., and P. Riemann, dichloroparacresol and dichlororthocresol, 1111.
- Claus, A., and F. Tosse, addition-products of quinoline, 1008.
- Clausius, R., the units of electricity and magnetism, 764.
- Clausnitzer. See A. Mayer.
- Clermont, A., preparation of ethers of trichloroacetic acid, 729.
- Cleve, P. T., atomic weight of didymium, 852.
— atomic weight of lanthanum, 553.
— atomic weight of yttrium, 292.
— didymium, 18.
- Cobenzl. See Skraup.
- Cocheteux. See Krutwig.
- Cochin, D., action of air on yeast, 746.
- Coleman, A. P., melaphyres of Lower Silesia, 563.
- Collan. See Hjelt.
- Collier, F., a remarkable platinum nugget, 426.
- Colson, A., an aromatic tribromhydrin, 734.
— combination of tetratomic elements, 15.
- Colson. See also Schützenberger.
- Combes, A., base derived from croton-aldehyde, 1079.
- Combes, on the supposed compound NH_2 , 14.
- Comstock. See Baeyer.
- Coninck, O. de, bases of the pyridine and quinoline series, 738.
— hydrates of pyridic bases derived from cinchonine, 220.
— isomerism in the pyridine series, 740.
— quinoline from cinchonine, 88.
- de Coninck. See also Marcus.
- Conrad, M., halogen substitution compounds of ethyl acetoacetate, 177.
- Conrad, M., and C. A. Bischoff, tetrethyl acetylenetetracarboxylate, 46.
- Conrad, M., and M. Guthzeit, action of chloroform on sodium ethylmalonate, 311.
— — derivatives of barbituric acid, 314.
— — ethyl methenyltricarboxylate and ethyl acetomalonate, 44.
— — halogen substituted ethyl acetoacetates, 1082.
— — tetrethyl dicarbontetracarboxylate, 46.
- Constam. See V. Meyer.
- Cook, E. H., carbonic anhydride in the atmosphere, 284.
- Coppola, F., genesis of ptonaïnes, 522, 624.
- Corenwinder, B., biological researches on the beet-root, 613.
- Corsi, A., and E. Beechi, prehnite from Tuscany, 441.
- Cossa, A., chemical and microscopical researches on Italian rocks and minerals, 446.
— hieratite, a new mineral species, 955.
- Cossa, A., and A. Arzruni, chromic tourmalin and the deposits of chrome iron ore in the Urals, 444.
- Courtonne, H., solidification of different mixtures of naphthalene and stearic acid, 176.
- Cownley, A. J., ether test for quinine, 1174.
- Crafts, J. M., comparison of mercurial thermometers with the hydrogen thermometer, 144.
— density of chlorine at high temperatures, 710.
— thermometric measurements, 842.
- Craig, G. E., estimation of sulphur in iron and steel, 121, 512.
- Cramer, T., vegetarianism from a physiological standpoint, 928.
- Criper, W. R., analyses of Indian wood, 107.
- Cripps, R. A., estimation of hydrocyanic acid, 1174.
- Croft, H. H., rattlesnake poison, 104.
- Cronquest, A. W., analysis of a spring water from Rindö near Stockholm, 449.
— the lake deposits of Kolsnaren, Viren, and Högsjön, Sweden, 448.
- Cros, C., and A. Vergérand, a new photographic paper, 752.
- Cross, C., and A. Higgin, decomposition of water by metalloids, 900.

- Cross, C. F., rehydration of ferric oxide, 853.
 — technical aspects of lignification, 694.
- Cross, W., and W. F. Hillebrand, minerals, mainly zeolites, occurring in the basalt of Table Mountain near Golden, Colorado, 164, 956.
 — notes on some interesting minerals occurring near Pike's Peak, Colorado, 1065.
- Crova, A., a new condensation hygrometer, 118.
- Cuisinier, L., and H. Kiliani, saccharin and lactic acid from sugars, 42.
- Curtius, T., glycocine, 1087.
 — synthesis of some acids analogous in constitution to hippuric acid, 337.
- Czimatis, L., mixed aromatic tertiary phosphines, 57.
- Czimatis. See also Michaelis.
- D.**
- Dabaele. See Pellet.
- d'Achiardi, A., minerals found near Massa in the Apuanian Alps, 428.
- Dafert, F. W., amylnbenzene, 659.
 — derivatives of diethyltoluene, 1093.
 — researches on periodides, 978.
- Damour, A., aluminium borate from Siberia, 719.
 — chemical composition of a green mica from Syssert, 1066.
 — rhodizite, 956.
- Damour. See also Bertrand and Des Cloizeaux.
- Dana, J. D., metamorphism of massive crystalline rocks, 562.
- Dana. See also Brush.
- Danger, L., and others, parasitic diseases of plants, and their prevention, 110.
- Darton, N. H., new locality for hayesine, 162.
- Daubrée, A., meteorite of Louan, 449.
- David, J., estimation of glycerol in fatty matters, 123.
- Davy, E. W., determination of nitrates, 515.
- Debray, solubility of cupric sulphide in alkaline thiomolybdates, 1054.
- Debray, H., artificial production of iridosmin, 298.
 — preparation of cerium oxide, 713.
- Debray. See also Deville.
- Debus, H., chemical theory of gunpowder, 258.
- De Forcrand, compounds of hydrogen sulphide with ethers, 961.
 — formation of disodium glycolate, 1085.
 — heat of formation of glycolates, 708.
 — heat of formation of solid glycolates, 644.
 — neutralisation of glycollic acid by bases, 774.
 — salts of glycollic acid, 775.
- Degener, P., influence of chlorides of the alkalis and alkaline earths on the precipitation of lime saccharate, 692.
- Degener, P., and F. Allihn, estimation of sugar by alkaline copper solutions, 519.
- Déhérain, P. P., influence of the electric light on the development of plants, 105.
 — loss and gain of nitrogen in arable land, 373, 749.
- Déhérain, P. P., and L. Maquenne, butyric ferment in arable soils, 610.
 — — reduction of nitrates in arable soil, 229.
 — — reduction of nitrates in the soil, 229, 503.
- Déhérain, P. P., and Meyer, development of wheat, 493.
- Delacharlonny, P. M., aluminium sulphate, 714.
 — transformation of blood into a solid inodorous manure, 239.
- Dela fond, steel from pig-iron containing phosphorus, 403.
- Delattre, treatment of the washings from wool, 940.
- Demarçay, E., thorium sulphate, 1053.
- Demarchi, L., and O. Fodera, production of pozzolana, 529.
- Demel, W., dopplerite from Aussee, 160.
- Denaro. See Scichilone.
- Dennstedt. See Ciamician.
- Denucé, D., preservation of wine by salicylic acid, 535.
- Derby, O. A., Brazilian specimens of martite, 559.
- Desains, distribution of heat in the ultra-red region of the solar spectrum, 143.
- Des Cloizeaux and Damour, chalcomenite, a new mineral species (selinite of copper), 31.
- Des Cloizeaux and Jannettaz, nepheline in the oligoclase of Dénise, 1067.
- Desprax, P., method of estimating the alkalinity of limed beet-syrup, 689.

- Detmer, W., action of various gases, especially nitrous oxide, on plant cells, 105.
 — contributions to the dissociation-hypothesis, 489.
 — influence of foreign matter in the conversion of starch by diastase, 631.
- Deville, H. Sainte-Claire, and H. Debray, explosive alloys of zinc with certain platinum metals, 19.
- Dewar, J., and A. Scott, atomic weight of manganese, 856.
- Dewar. See also Liveing.
- Dieff, W., bye-product of the preparation of allyl dimethyl carbinol, 1076.
- Diehl, W., volumetric estimation of peroxides, 242.
- Dietzell, B., preservation of milk, 254.
- Dieulafait, lithium, strontium, and boric acid in the mineral waters of Contrexeville and Schinznach, 301.
 — manganese in sea water and in certain marine deposits, 725.
- Direks, V., occurrence of myronic acid and estimation of mustard oil in the seeds of *cruciferæ*, and in oil-cakes, 245.
- Diritte, A., bromapatites and bromo-wagnerites, 783.
 — compound of tin disulphide and diselenide, 156.
 — crystallisation of chlorine hydrate, 550.
 — crystallised stannates, 716.
 — decomposition of salts by fused substances, 11.
 — formation of crystallised uranates in the dry way, 296.
 — iodoapatites, 784.
 — production of bromapatites and bromo-wagnerites, 648.
 — production of crystallised vanadates in the dry way, 784.
 — stannous oxide and some of its compounds, 294.
- Divers, E., the Leclanché cell and the reactions of manganese oxide with ammonium chloride, 272.
- Dixon, H. B., influence of aqueous vapour on the explosion of carbonic oxide and oxygen, 12.
 — velocity of explosion of a mixture of carbonic oxide and oxygen with varying quantities of aqueous vapour, 12.
- Dixon, W. A., inorganic constituents of some epiphytic ferns, 108.
- Doebner, A., compounds of benzotrichloride with phenols and phenylamines, 861.
- Doebner, O., and W. v. Miller, phenylquinoline, 1149.
 — — quinaldine, 602.
- Döhn, W., and F. Nobbe, cultivation and feeding value of some varieties of vetches, 612.
- Dölter, C., crystalline form of idocrase, 441.
 — the volcanic rocks of the Cape Verde Islands, 720.
- Donath, E., and J. Mayrhofer, affinity and its relations to atomic volume, atomic weight, and specific gravity, 1048.
- v. Dorp. See Hoogewerff.
- Dossekel. See Rinicker.
- Drechsel, E., action of phthalic anhydride on amido-acids, 1126.
 — ammonioplatinum-diammonium compounds, 28.
 — experiments on the small scale in sealed tubes, 1167.
 — use of phosphoric acid in Pettenkofer's reaction for bile acids, 1176.
- Drechsler, specific gravity of cereal grains, 111.
- Drewsen, V. B., methylquinoline, 1149.
- Drewsen. See also Baeyer.
- Drown, T. M., sulphur in coal, 383.
- Dufet, H., variations of the indices of refraction of water and quartz with the temperature, 762.
- Dugast, M., composition of different varieties of fodder-cabbage, 373.
- Duisberg, C., addition of bromine to ethylacetacetate, 656.
- Dumas, L., retentive capacity for plant food possessed by soils, 681.
- Dumreicher, O. v., action of aluminium chloride on the monohalogen derivatives of benzene, 53.
- Dunstan, W. R., and F. Ransom, action of chlorine on solution of carbonate, 647.
 — — constitution of *liquor soda chloratæ*, 647.
- Dunstan, W. R., and F. W. Short, analysis of *nux vomica*, 689, 1175.
- Dupetit, G., poisonous principle of edible mushrooms, 611.
- Dupetit. See also Grayon.
- Durin, E., hydrocarbons from peat, 652.
- Dutt, U. K., α -naphthonitrilsulphonic acid, 1001.
- Duvillier, E., compounds of the creatinine-group, 220, 1153.
- Dvorák, V., researches in statical electricity, 763.

E.

- Ebert, G., coumarin, 471.
 Ebert. See also Fittig.
 Edinger, L., reaction of the living mucous lining of the stomach, 815.
 Edler, manuring potatoes with potassium nitrate, 117.
 Edlund, E., researches on the heat changes at the poles of a voltameter, 767.
 Egleston, T., tellurium in copper, 531.
 Egoroff, absorption-spectrum of the earth's atmosphere, 137.
 Ehrlich, A., glycocines, glycocene ethers, and oxethylenecarbamides of the tolyl and xylyl series, 593.
 —— metatoluidine, 54.
 —— orthotolylhydantoin, 1106.
 Elbs, K., synthesis with chloropicrin, 1000.
 Elbs. See also Claus.
 Ellenberger, results of the suppression of perspiration of animals, 817.
 Ellenberger and Hofmeister, the digestive fluids and digestion of the horse, 487.
 Elsässer, E., specific volumes of the ethereal salts of fatty acids, 967.
 Elsbach, L., α -naphthaquinone-ethyl-anilide, 70.
 Elster, J., and H. Geitel, electricity of flame, 141, 412.
 Eltekoff, A., some oxides of the ethylene series and their action on water, 566.
 Eltzbacher. See Anschütz.
 Ely. See Chittenden.
 Emich, F., biguanide, 973.
 —— ethylbiguanide and its compounds, 974.
 Emich. See also Maly.
 Emmerich, R., estimation of milk fat, 246.
 Emmert, A., and R. Friedrich, γ -diethylbutyrolactone, 39.
 Engel, R., analogy between the allotropic modification of phosphorus and arsenic, 901.
 Engelcke, J., dialkydisulphoisethionic acids, 972.
 Engelmann, T. W., assimilation by haematooccus, 611.
 —— colour and assimilation, 819.
 —— elimination of oxygen from plant-cells, 105.
 Enkluar, J. E., osmosis of salts, 420.
 Ensel, R., allotropic arsenic, 554.
 Erdmann, E., action of sulphuric acid on cinnamic acid, 474.
 —— change of colour in felspar under the influence of light, 438.
- Erdmann, E., and G. Schultz, haematoxylin and haematoïn, 349.
 Erdmann. See also Fittig.
 Erlenmeyer, milking of cows twice and thrice daily, 227.
 Erlenmeyer, E., constitution of the nitrosamines, 1103.
 —— derivatives of cinnamic acid, 196.
 Erlenmeyer, E., and A. Lipp, cinnamic acid derivatives, 992.
 —— —— synthesis of tyrosine, 994.
 Erman, adipocere, 818.
 Étard, A., benzyleneorthotolylamine and methylphenanthridine, 179.
 —— transformations of cuproscopic sulphites, 20.
 Étard, A., and L. Oliver, reduction of sulphates by living organisms, 229.
 Étard, A., and C. Richet, estimation of the reducing power of urine and of the extractive matter which it contains, 751.
 Étard, A., and others, reduction of sulphates by algæ, 680.
 Étard. See also Gautier.
 Etti, C., compounds of vanillin with pyrogallol and with phloroglucinol, 61.
 —— tannic acids of oak-bark, 994.
 Eykman, J. F., poisonous principle of *Andromeda japonica*, 215, 348.

F.

- Fahlberg, C., preparation from bauxite of aluminium sulphate free from iron, 130.
 Fankhäuser, comparative meteorological observations in forests, 614.
 Farsky, chlorine as a plant food, 497.
 Fauconnier, A., second anhydride of mannitol, 305.
 Feemster, J. H., average amount of caffeine in the guarana of commerce compared with that in the seeds, 232.
 Fehrmann, A., preparation of lead dioxide, 157.
 Festing. See Abney.
 Févre, A., mononitroresorcinol, 733.
 Filhol, E., and Senderens, action of sulphur on alkaline phosphates, 783.
 —— action of sulphur on oxides, 710.
 —— neutral phosphates of the alkalis, 151.
 Findeisen, feeding horses with flesh-meal, 102.
 Fischer, E., caffeine, theobromine, xanthine, and guanine, 354.

- Fischer, E., triacetonealkamine, 1153.
 —— triactonamine, 790.
 Fischer, E., and H. Koch, ethyl phthalylacetooacetate, 806.
 Fischer, E., and H. Kuzel, ethyl orthonitrocinnamylacetooacetate, 587, 588.
 —— —— ethylhydrocarbazostyryl, 1132.
 —— —— quinazole-compounds, 812.
 Fischer, F., application of electricity in metallurgy, 398.
 —— contribution to a knowledge of sewer gases, 886.
 —— flameless combustion, 626.
 —— investigation on boiler fires, 942.
 —— practical application of thermoelectricity, 625.
 Fischer, H., tin ores, aventurine glass, and green aventurine quartz from Asia, and krokydolite quartz from Greenland, 435.
 Fischer, O., acridine, 1134.
 —— derivatives of hydroxyquinoline, 1146.
 —— hydroxyquinolines, 91.
 Fischer, O., and L. German, new synthesis of skatole, 1132.
 —— —— the violet derivatives of triphenylmethane, 1097.
 Fischer, O., and C. Riemerschmid, pyridinenonosulphonic acid, 923.
 Fischer. See also Besthorn and Penzoldt.
 Fittbogen, J., and others, cultivation of various crops, 235.
 Fittig, R., action of water on lactones, 730.
 —— conversion of unsaturated acids into the isomeric lactones, 730.
 —— non-saturated acids, 454.
 —— Perkin's reaction, 1122.
 —— so-called tetric, pentic, and hexic acids, 1085.
 Fittig, R., and G. Ebert, coumarilic acid, 474.
 Fittig, R., and H. Erdmann, synthesis of *a*-naphthol, 595.
 Fittig, R., and H. W. Jayne, phenyl-hydroxypivalic acid, 471.
 Fittig, R., and F. Roeder, a non-saturated acid isomeric with itaconic acid, 730.
 Fleichtinger, cause of the acid reaction exhibited by some kinds of paper, 696.
 Fleischer, M., and R. Kissling, application of insoluble phosphates to soils, 822.
 Fleischmann, W., preserved milk, &c., 254.
 Fleischmann, W., and A. Morgen, Scherff's preserved milk, 757.
 Fleischmann, W., and R. Sachtleben, Becker's creaming process, 253.
 —— —— Jacobsen's testing churn, 253.
 Fleissner. See Lippmann.
 Fleming, H., glycerolphosphoric acid, 682.
 Fletcher, T., flameless combustion, 523.
 Flight, W., examination of certain meteorites, 169.
 Flückiger, F. A., potassium carbonate, 902.
 Flückiger, F. A., and W. v. Miller, American storax, 407.
 Fodera. See Demarchi.
 Fohr, K. F., sources of error in estimating iron in ores by the stannous chloride method, 242.
 Fontaine, W. F., notes on the occurrence of certain minerals in Amelia Co., Virginia, 959.
 Förster, J., employment of boric acid for preserving food, 1178.
 Fort, J. A., physiological action of coffee, 745.
 Fouqué, F., and A. Michel-Lévy, artificial formation of various rocks, 448.
 Foussereau, G., influence of temper on the electrical resistance of glass, 701.
 Franchimont, A. P. N., action of anhydrides on aldehydes, ketones, and oxides, 452.
 —— paraldehyde, 453.
 Francke, G., estimation of starch in grain, 624.
 Frank, A. B., hypochlorin and its formation, 483.
 Frankland, E., chemistry of storage batteries, 839.
 Freih, O., reduction of tungsten compounds, 785.
 Frentzel, J., normal primary hexyl alcohol, 1075.
 Fresenius, R., and E. Borgmann, analyses of pure wines, 518.
 Freydl, J., dry distillation of tartaric and citric acids with excess of lime, 658.
 Friedburg, L. H., carbon bisulphide, 535.
 —— manufacture of tartaric acid, 1178.
 Friedel, C., brucite from Cogne, 1061.
 Friedel, C., and M. Balsohn, artificial production of mellite, 427.
 Friedel, C., and J. Curie, pyroelectricity of quartz, 897.

- Friedel, C., and E. Sarasin, artificial production of phosgenite, 431.
 Friedel, C., and others, composition of dawsonite, 430.
 Friedländer, P., orthamidobenzaldehyde, 331.
 — substitution derivatives of quinoline, 351.
 Friedländer, P., and C. F. Göhring, preparation of substituted quinolines, 1148.
 Friedländer, P., and R. Henriques, reduction of orthonitrobenzaldehyde, 187.
 Friedländer, P., and J. Mahly, isoindole, 918.
 Friedländer, P., and A. Weinberg, constitution of corbostyryl and hydrocarbostyryl, 204.
 Friedrich, R., monohalogen derivatives of crotonic acids, 968.
 Friedrich. See also Emmert.
 Fromme, C., electric researches, 697, 766.
 Frühling, J., γ -hydroxybutyric acid, 42.
- G.**
- Gabriel, S., aromatic nitroso-compounds, 919.
 —— constitution of phthalylacetic acid, 1127.
 —— hydrocinnamic and cinnamic acids, 195.
 —— metamidobenzaldoxime, 1105.
 —— nitrobenzaldoxime, 916.
 —— orthamidobenzaldehyde, 62.
 —— phenylacetic acid, 64.
 —— so-called nitrosomethylbenzene compounds, 581.
 Gabriel, S., and O. Borgmann, benzyl derivatives, 1121.
 Gabriel, S., and M. Herzberg, derivatives of cinnamic and hydrocinnamic acids, 1123.
 —— —— paranitrobenzaldoxime and amidobenzaldehyde, 1104.
 Gäbel, D., margarimeter of Lenne and Harbuleit, 247.
 —— on creaming, 253.
 Gal, H., action of zinc-ethyl on amines and phosphines, 653.
 —— metallic derivatives of amides : method of distinguishing between monamides and diamides, 913.
 —— passage of alcoholic liquids through membranes, 549.
 —— passage of alcoholic liquids through porous vessels, 279.
- Galle, K., tetrethylbenzene and hexethylbenzene, 1091.
 Gallia, J., and A. Brezina, the meteorites of Alfianello, 1071.
 Galloway, R., estimation of coke and volatile products in coal, 517.
 Galloway, W., influence of coal-dust in colliery explosions, 127.
 Gantter, F., colouring matter of wine, 1141.
 Garnier, L., albumin from urine coagulated by nitric acid and soluble in alcohol, 247.
 Garrod, A. B., formation of uric acid in the animal economy, 876.
 Gasparin, P. de, estimation of phosphoric acid in arable soils, 619.
 —— submersion of vineyards, 1164.
 Gattermann, L., symmetrical tribromaniline, 796.
 Gautier, A., formation of alkaloids from normal human fluids, 101.
 Gautier, A., and A. Étard, bases formed by putrefaction, 100.
 —— —— putrid fermentation and the alkaloids produced by it, 224.
 Gawalovskii, A., estimation of tannin, 391.
 Gayon, U., and G. Dupetit, fermentation of nitrates, 230.
 —— —— reduction of nitrates and nitrites, 609.
 Gayon and others, a denitrifying ferment in soils, 679.
 de Geer, G., a manganese mineral from Upsala, 429.
 Geibel, P., and others, removal of the leaves of roots, 613.
 Geibel. See also Schepper.
 Geinitz, F. E., phyllite from Rimogens, in the Ardennes, 447.
 —— pseudomorph of nacrite after fluor-spar, 1069.
 Geitel. See Elster.
 Gélis, A. and T., sulphocarbometer, 386.
 Geppert, J., improvements in gas analysis apparatus, 378.
 Gerdes, B., electrolysis of ammonium carbamate and carbonate, 27.
 Gerichten, E. v., and H. Schrötter, morphine, 221.
 German. See Fischer.
 Gernez, D., velocity of solidification of bodies in a state of superfusion, 546.
 Geuther, A., affinity value of carbon, 779.
 —— constitution of the compounds of the sulphonates with alkyl sulphates : constitution and dimorphism of sulphates, 973.

- Gevekoht, H., preparation of the three isomeric nitracetophenones, 191.
- Gibbons, W., uranium oleate, 692.
- Gilbert. See Lawes.
- Gintl, W., and F. Reinitzer, constituents of the leaves of *Fraxinus excelsior*, 216.
- Girard, C., and A. Pabst, azo-derivatives, 583.
- Gisevius, P., specific gravity of minerals and their mechanical separation, 1031.
- Gissmann, R., oxidation of durene by chromic acid; dinitrodurylic acid, 333.
- Gladding, T. S., estimation of phosphoric acid as magnesium pyrophosphate, 240.
- Gleichmann. See Michaelis.
- Glyckherr. See Claus.
- Godlewski, E., respiration of plants, 498.
- Gohring. See Friedländer.
- Goldschmidt, G., products of the distillation of calcium parahydroxybenzoate, 664.
- products of the distillation of salicylic anhydride, 664.
- pyrenequinone, 869.
- Goldschmidt, G., and R. Wegschnieder, pyrene-derivatives, 1001.
- Goldschmidt, H., strychnine, 99.
- Goldschmidt, H., and V. Meyer, benzil, 1120.
- Goldschmidt, V., application of a solution of potassium and mercury iodides to mineralogical and petrographical researches, 159.
- Goldstein, E., electric discharge in rarefied gases, 266.
- Gonnard, F., existence of apatite in the pegmatites of Lyons, 432.
- gedrite in the gneiss of Beaunant, near Lyons, 444.
- the granite on the banks of the Saône, 36.
- Goodwin, W. L., nature of solution, 550.
- Goossens, B. J., the metallic galvanic circuit of Ayrton and Perry, 141.
- Görgeu, A., artificial hausmannite, 859.
- artificial production of barytes, celestine, and anhydrite, 1062.
- double sulphates of manganese and the alkalis, 718.
- manganese sulphite, 558.
- Gottstein, L., two new caprolactones, 454.
- Gouy, distortion of polarised electrodes, 897.
- Graebe. See Brunck.
- Grätzel, A., creosote from beechwood tar, 393.
- Grandjeau, H., decomposition of phosphates by potassium sulphate at high temperatures, 151.
- Grégoire, T., cultivation of gombo, 613.
- Grete, E. A., nitrogen estimation in saltpetre by potassium xanthate, 1031.
- phosphoric acid determination, 1031.
- Griess, P., constitution of the azimidocompounds, 56.
- creatine-compounds of the aromatic group, 669.
- diazo-derivatives, 180, 1102.
- Griessmayer, V., loss of sugar by long steaming of the "mash," 136.
- the ferment of chica beer, 535.
- Griffiths, A. B., an ammonia-phosphatic deposit in the vicinity of Cape Town, 859.
- analysis of a new guano from Australia, 375.
- analyses of some minerals, 858.
- growth of plants under special conditions, 496.
- Grigoreff, P., analyses of some Moscow waters, 622.
- new mineral manure deposits, 529.
- Grimaldi. See Macaluso.
- Grimaux, E., phenolquinoline, 668.
- some derivatives of morphine, 358.
- Groddeck, A. v., sericite rocks occurring in ore deposits, 168.
- Grodzki, M., test for acetal, 790.
- Groth, P., natural barium nitrate, 431.
- Grouven, H., nitrogen estimation, a method of general application, 1028.
- Grüning, W., chemistry of the *Nymphaeaceæ*, 369.
- Gruner, relative oxidisability of cast and malleable iron and steel, 755.
- Guareschi, J., and A. Mosso, ptomaines, 1156.
- Guckelberger, G., ultramarine, 714.
- Gümbel, C. W., the so-called andesites of South and Central America, 448.
- Guillaume, L., chemical manures and farmyard manure, 501.
- mineral phosphates in arable soil, 118.
- Gundermann, purification of molasses, 835.
- Gustavson, G., action of aluminium chloride and bromide on hydrocarbons, 577.

- Gustavson, G., conversion of the propyl into the isopropyl-group, 565.
 Guthzeit, M., diethyl acetylenetetracarboxylate, 46.
 Guthzeit. See also Conrad.
 Gutzkoff's process for the separation of gold in California, 251.
 Guyot, P., analysis of the coal of the Muaraeze, 299.
 —— calcination of alunite, 397.
 —— industrial value of crude alunite, 250.
 Guyot-Dannecy, analysis of potassium thiocarbonate, 241.

H.

- Habermann, J., and H. Höning, action of cupric hydroxide on sugars, 38.
 Haerling, cause of the acid reaction exhibited by some kinds of paper, 260, 759.
 Haga, H., amalgamation currents, 412.
 Hagemann, W., preservation of butter, 254.
 Hagen. See Liebermann.
 Hagenbach, E., Stokes's law of fluorescence, 537.
 Hager, H., detection of arsenic microscopically, 381.
 Haines, R., helvite from Virginia, 437.
 Haitinger, L., action of sulphur on sodium phenate, 998.
 —— occurrence of organic bases in commercial amyl alcohol, 127.
 Haitinger. See also Lieben.
 Halberstadt, W., separation of vanadic acid from metals, 513.
 Hall, F. P., action of certain vegetable acids on lead and tin, 1038.
 Hallberg, C. S., ergot, 640.
 Hallock, E. D., analysis of columbite, 434.
 Hamburger. See Mulder.
 Hammantén, O., metalbumin and paralBUMIN, 874.
 Hampe, desilvering of lead, 134.
 Hankel, W. G., actino-electric and piezo-electric properties of quartz and their relation to the pyro-electric, 412.
 —— observations on thermo- and actino-electricity of quartz, 950.
 —— thermoelectric properties of minerals, 546.
 Hannay, J. B., limit of the liquid state, 145.
 Hanriot, strychnine derivatives, 669.

- Hanriot and Blarez, solubility of strychnine in acids, 924.
 Hantzsch, A., action of aldehyde-ammonia on methyl acetoacetate, 1082.
 —— condensation products of ethyl acetoacetate, 1083.
 —— reaction of ethyl acetoacetate with orthamidophenol, 1111.
 —— synthesis of pyridine-derivatives from ethyl acetoacetate and aldehyd-ammonia, 82.
 Harada, T., the Lugano district, 167.
 Harcourt, A. V., an instrument for correcting gaseous volume, 378.
 Harmuth, and others, lupine sickness in sheep, 228.
 Harnack, E., Carlsbad salts, 396.
 Harrington, B. J., diorites of Mont-real, 561.
 Hartley, W. N., researches on spectrum photography, 263.
 —— reversal of metallic lines in over-exposed photographs of spectra, 263.
 Harton, N. H., new locality for hayesine and its novel occurrence, 1062.
 Harvey, J. W. C., a modified process for the estimation of chlorine in bleaching powder, 507.
 —— volumetric estimation of chromic acid in chromates and dichromates, 686.
 —— volumetric estimation of manganese dioxide, 513.
 Hasebroek, K., coagulation of the blood, 608.
 Haslam, A. B., detection of albumin in urine, 885.
 Hauer, F. v., and others, the Klausenburg meteorite, 1070.
 Hautefeuille, P., and J. Margottet, combination of phosphoric acid with silica, 782.
 —— —— crystalline phosphates, 711.
 —— —— phosphates, 782.
 —— —— silica and lithium silicates, 559.
 Hay, M., new alkaloid in *Cannabis indica*, or Indian hemp, 1155.
 Hayduck, M., influence of alcohol on the development of yeast, 104.
 Hazura, K., nitroresorcinolsulphonie acid, 1114.
 Hazara. See Weidel.
 Heberand, A., compounds of benzo- and tolu-quinol with amines, and of quinone with nitranilines, 61.
 Heckel, E., ice-plant (*Mesembrianthemum crystallinum*), 680.
 Heckel and Schlagdenhauffen, chemistry of globularia, 1025.
 Heddle, M. F., new face on stilbite, 441.

- Heim, R., conversion of phenols into nitrils and acids, 1111.
 — phenolic phosphates, 1108.
- Heinrich, R., influence of the percentage of moisture in peaty soils on vegetation, 681.
- Hell, C., and F. Urech, carbon thiobromides, 907.
 — formation of a new colouring matter by the action of heat on carbobrithiohexbromide, 907.
- Hellmann, H., difference of positive and negative discharge, 949.
- Hellon. See Tcherniac.
- Henninger, a new alcohol in wine, 631.
- Henriques, R., new nitro-derivatives of phenol, 327.
- Henriques. See also Friedländer.
- Henry, L., α -monochlorallylic alcohol, and its derivatives, 173.
 — phenol derivatives, 802.
 — "reaction aptitudes" of the halogens in mixed haloïd ethers, 787.
- Hensen, V., fertility of a soil as dependent on the action of worms, 237.
- Hentschel, W., conversion of phenyl ethers of carbonic acid into salicylic acid, 588.
 — diphenylcarbamide and triphenylguanidine, 1107.
- Henzhold, O., new method of forming anthracene, 1137.
- Hepp, P., addition-products of nitro-derivatives with hydrocarbons, 317.
 — trinitro-derivatives of benzene and toluene, 315.
- Hermann, F., constitution of ethyl succinosuccinate, 1084.
- Herz, H., electric discharges, 700.
 — researches on the glow discharge, 949.
- Herzberg. See Gabriel.
- Herzfeld, A., maltose and isomeric gluconic acids, 652.
- Herzig, J., action of nitrous acid on guaiacol, 464.
 — guiaconic and guaiaretic acids, 470.
- Hesse, O., anhydrous grape-sugar from aqueous solution, 175.
 — cuprea-bark, 601.
 — hydrocinchonidine, 97.
 — hydroconquinine and conquinine, 602.
- Heumann, K., and P. Köchlin, action of heat on sulphuric monochloride and dichloride, 781.
 — pyrosulphuric chloride, 710.
 — thionyl chloride and pyrosulphurylic chloride, 1051.
- Heumann. See also Billitz, Bohn, Claus, and Pierson.
- Hidden, W. E., anatase and xenotime from Burke Co., N. Carolina, 435.
 — notes on some N. Carolina minerals, 163, 1063.
- Hiepe. See Schmitt.
- Higgin. See Cross.
- Hill, H. B., constitution of the substituted acrylic and propionic acids, 310.
 — substituted pyromuic acids, 912.
- Hill, H. B., and C. F. Mabery, tetra-substituted propionic acids, 309.
- Hill, H. B., and C. R. Sanger, action of potassium nitrite on mucobromic acid, 47.
- Hill, S. A., the constituent of the atmosphere which absorbs radiant heat, 7.
- Hillebrand. See Cross.
- Hinsberg, O., derivatives of anhydro-amidotolyxamic acid, 1129.
 — oxalic acid derivatives of meta-nitroparafoluidine and 3-4 diamidotoluene, 323.
- Hintze, C., pseudomorphic senamontite crystals, 430.
- Hitchcock, R., examination of water and air for sanitary purposes, 514.
- Hittorf, W., luminosity of flame, 697.
- Hjelt, E., allylsuccinic and carbo-caprolactonic acids, 656.
 — dicarbocaprolactonic acid, 970.
 — lactones from allylmalonic, diallylmalonic, and diallylactic acids, 456.
- Hjelt, E., and U. Collan, ledum camphor, 346.
- Hoadley, J. C., platinum water pyrometer, 769.
- Hodgkinson. See Matthews.
- Hölzer, A., sources of error in polarising, 3.
- Hönig, M., and F. Berger, action of chloroform on naphthalene in presence of aluminium chloride, 68.
- Hönig. See Habermann.
- Hönigsberg, P., digestibility of flesh, 815.
- Hoffmann, M., digestibility of casein from heated milk, 487, 815.
- Hoffmann, L., and W. Königs, tetrahydroquinoline, 1143.
- Hofmann, A. W., action of bromine on amines in alkaline solution, 789.
 — conhydrine, 220.
 — crystalline cumidine, 324.
 — lecture experiments, 279.
 — piperidine and pyridine, 813.
- Hofmeister, F., distribution of peptide in the animal body, 675.
 — the proportion of peptone in the gastric mucous membrane, 675.

- Hofmeister. See also Ellenberger.
 Holm, J., fluorene derivatives, 921.
 Holzer, A., compound of phenol with sulphurous anhydride, 585.
 Hoogewerff, S., and W. A. v. Dorp, the quinoline of coal-tar and of the cinchona alkaloids, and its oxidation by potassium permanganate, 89.
 Hoppe-Seyler, F., action of oxygen on fermentation, 489.
 — activity of oxygen, 1048.
 — activity of oxygen in presence of nascent hydrogen, 848.
 — fermentation of cellulose, 821.
 — metahæmaglobin, 814.
 Horbaczewski, J., behaviour of elastin in peptic digestion, 927.
 — synthesis of uric acid, 179.
 Hornberger, K., and E. v. Raumer, researches on the growth of the maize plant, 491.
 Houzeau, A., variation of the amount of ammonia in rain-water, 753.
 Howard, J. E., effect of altitude on the alkaloids of the bark of *Cinchona succirubra*, 1165.
 Hüfner, G., on the oxygen pressure under which, at a temperature of 35°, the oxyhaemoglobin of the dog begins to give up its oxygen, 678.
 Huntington, A. K., reactions of the Mexican amalgamation process, 134.
 Hüppe, F., behaviour of unorganised ferments at high temperatures, 101.
 Hurff. See also Austin.
 Hussak, E., serpentine from the Alps, 562.

I.

- Iles, M. W., occurrence of smaltite in Colorado, 559.
 — vanadium in the Leadville ores, 562.
 Illosvay, physical properties of carbon oxy sulphide, 43.
 Illosvay. See also Berthelot.
 Isambert, F., ammonium hydrogen sulphide, 548.
 — ammonium hydrosulphide and cyanide, 775.
 — dissociation of phosphine hydrobromide, 646.
 — phosphorus sulphides, 901, 1049.
 — vapour of carbamide, 645.
 — vapour-tensions of ethylamine and diethylamine hydrosulphides, 727.
 Ivan, Å., bauxite, 397.

J.

- Jackson, C. L., and A. E. Menke, certain substances obtained from turmeric, 480.
 — — — turmeric oil: turmerol, 482.
 Jackson, E., a new test for titanium and the formation of a new oxide of the metal, 828.
 Jackson, H., bromine as a test for strychnine, 1175.
 Jacobsen, O., hydroxytoluic and hydroxypthalic acids, 1124.
 — — — isodurene, isodurylic acids, and the third trimethylbenzene 52.
 — — — phosphorescence of sulphur, 710.
 Jacobsen, O., and H. Ledderboge, amidometaxylenesulphonic acid, 593.
 Jacobsen, O., and H. Meyer, sulphamic and hydroxy-acids from pseudocumene, 589.
 Jacobsen, E., and C. L. Reimer, action of phthalic anhydride on quinoline, 812.
 — — — coal-tar quinoline, 922.
 Jacobsen, O., and F. Wierss, derivatives of orthotoluic acid, 1121.
 Jacquelin, preparation and purification of carbon for electric lighting, 752.
 Jahn, H., electrolytic researches, 1042.
 — — — new method for preparing carbonic oxide, 655.
 Jaksch, R. v., acetonuria, 1161.
 Jamin, J., critical point of gases, 898.
 Jamin, and G. Maneuvrier, the reaction current of the electric arc, 4.
 Jandous, A., composition of ivy berries, 499.
 Jannasch, P., discovery of fluorine in the idocrase from Vesuvius, 1067.
 — — — epistilbite and heulandite, 442.
 Jannettaz, E., a phosphide of nickel, 651.
 — — — analysis of a green pyroxene from the diamond mines of the Cape, 1067.
 — — — study of "longrain," and measure of the foliation in schistose rocks by means of their thermic properties, 300.
 Jannettaz, E., and L. Michel, nephrite or jade of Siberia, 436.
 — — — relation between the chemical composition and optical characters in the group of pyromorphites and mimetesites, 433.
 Janny, A., acetoximes, 580, 581.
 Janovsky, H., substitution-products of azobenzene, 324.
 Janovsky, J. V., amidazobenzene-para-sulphonic acid, 1101.

- Janovsky, J. V., nitro- and amido-derivatives of azobenzene, 867.
 — substitution-products of azobenzeneparasulphonic acid, 1101.
- Janssen, J., telluric rays and the spectrum of water-vapour, 261.
- Japp, F. R., addition of acetone under the influence of caustic alkalis, 596.
- Jarolimek, A., relation between pressure and temperature in the saturated vapour of water and carbonic anhydride, 417.
 — relation between the tension and temperature of saturated vapours, 951.
- Jayne, H. W., phenylbutyrolactone and phenylparaconic acid, 472.
- Jayne. See also Fittig.
- Jensen, J. L., cure for potato disease, 233.
- Jörgensen, S. M., chemistry of the chrom ammonium compounds, 554.
 — contributions to the chemistry of the rhod ammonium compounds, 1058.
- Joffre, J., new method of detecting dyes on yarns or tissues, 523.
- v. John. See Teller.
- Johnson, G., picric acid as a test for albumin and sugar in urine, 1176.
- Johnson, G. S., action of potash on albumin, 674.
- Joly, N., glairin or baregin, 302.
- Joubert, J., method of determining the Ohm, 4.
- Joulie. See Kuhn.
- Jourdan, F., decomposition of benzil by potassium cyanide, 805.
- Jordan, W. H., action of manures on the quantity and quality of a wheat crop, 681.
- Jüptner, H. v., Haswell's method for the volumetric estimation of mercury, 242.
- K.**
- Kachler, J., and F. V. Spitzer, action of nitric acid on hydroxycamphor from β -dibromocamphor, 215.
 — — — action of sodium on camphor, 1006.
 — — — bromodinitro-methane, 961.
 — — — hydroxycamphor from β -dibromocamphor, 1008.
 — — — mode of formation of the isomeric dibromocamphors, 1007.
 — — — reaction of the two isomeric dibromocamphors with nitric acid, 1008.
- Kaleckhoff, F. A., amidophenols, 734, 1109.
- Kanonnikoff, J., refractive power of organic compounds in solution, 1041.
- Kappel, S., formation of ozone and hydrogen peroxide, 282.
 — nitrification in presence of copper and other metals, 286.
- Kauffmann, G., β -naphthacoumarin, 1136.
- Kelbe, W., action of acid amides on aromatic amides, 915.
 — barium paratoluene sulphonate, 807.
 — displacement of the sulphonic group by chlorine, 806.
 — oxidising action of dilute nitric acid on metaisobutyltoluene, 796.
- Kelbe, W., and J. Löwff, occurrence of methyl alcohol in the products of the dry distillation of colophony, 738.
- Kellner, O., researches on the digestibility of purified lupine seeds by the horse, and observations on the working power of the horse when fed with lupines and oats, 102.
- Kenngott, A., analysis of humite, 1068.
 — calculation of analyses of augites and amphiboles from Finland, 1065.
- Kern, artificial digestion of meadowhay, 1025.
- Kern, E., a new milk ferment, 229.
- Kern, S., Russian basic steel, 1036.
- Kessler, L., hardening of soft calcareous rocks by means of fluosilicates of soluble bases, 940.
- Kienlen, P., extraction of selenium from a waste product, 16.
- Kietz, A., researches on digestion in the stomach, 815.
- Kilian, H., saccharin and saccharic acid, 565.
 — — — saccharone and saccharin, 962.
- Kilian. See also Cuisinier.
- Kinch, E., soja bean, 235.
- Kissling. See Fleischer.
- Kiticsan, S., distillation of wine, 934.
- Kittler, E., electromotive force of a Daniell's element, 409.
- Kjedahl, M. J., invertin, 225.
- Klein, C., cryolite, pachnolite, and thomsenolite, 427.
- Klein, D., borotungstates, 23, 786.
 — — — modification of the usual statement of the law of isomorphism, 147.
- Klepl, A., compound of phenol with carbonic anhydride, 584.
 — — — hydroxybenzoic acid, 664.
 — — — preparation of methyl chlorocarbonate, 311.
- Klinger, H., basic double-salts, 904.
 — — — isobenzil, 920.

- Klinkenberg, W., proportion of nitrogen in the form of amides, albumin, and nuclein in different feeding stuffs, 748.
- Klingenbergs, W., and A. Stutzer, nuclein, 814.
- Klingenberg. See also Stutzer.
- Knop, W., analysis of silicates, 379.
- percentage of ash in the sugar-cane, 110.
- Knorre, G. v., tungsten compounds, 650.
- Knublauch, O., determination of sulphur in coal-gas, 382.
- Knyrim. See Zimmermann.
- Koch, R., disinfectants, 249.
- Koch, S., wulfenite, 435.
- Koch. See also Fischer.
- Köchlin, H., fixation of artificial colouring matters by means of metallic mordants, 256.
- gallo-cyanins, 796.
- indophenol, 695.
- Koechlin. See also Heumann.
- Köhne and others, employment of dried potatoes, 614.
- Kohnlein, B., preparation of paraffins, 787.
- König, A., substitution of hydrogen peroxide for nitric acid in galvanic batteries, 765.
- König, A., and others, researches on the behaviour of insoluble phosphates in peaty soils and in dilute solvents, 681.
- König, G. A., alaskaite, a new bismuth mineral, 429.
- König, J., comparative estimation of nitrogen in guano, 1030.
- cultivation of lupines, 114.
- nutritive value of skim milk, 102.
- purification of contaminated waters, 691.
- Königs. See Hoffmann.
- Koerner, G., caffeic acid from cuprea bark, 66.
- paradiisopropylbenzene, 321.
- Koeth, D. v., culture of various descriptions of sugar beet, 1026.
- Kohlrausch, W., electrical conductivity of silver haloid salts, 769.
- specific conductivity of sulphuric and pyrosulphuric acids, and the specific gravity of concentrated sulphuric acid, 413.
- Kolbe, C., brom-addition derivatives of the crotonic acids and of methacrylic acid, 573.
- Kolbe, H., antiseptic properties of carbonic anhydride, 395.
- isatin, 1130.
- preparation of phenetoil, 1113.
- Konowaloff, D., pyrosulphuric chloride, 553, 782, 900.
- Korn, O., idocrase from Kedabék in the Caucasus, 1067.
- Korschelt, O., Japanese soils—a natural cement, 131.
- Kosmann, minerals from Upper Silesia, 955.
- roasting of zinc-blende, 399.
- Kossel, A., xanthine and hypoxanthine, 924.
- Kottman, G., application of strontium chloride in purifying syrups, 252.
- Kraaz. See Tiemann.
- Krafft, F., preparation of normal primary decyl, dodecyl, tetradecyl, hexadecyl, and octadecyl alcohols, 1075.
- Kratschmer and Sztankovanszky, volumetric estimation of phosphoric acid, 380.
- Krauch, C., effect of water containing zinc sulphate and common salt on soils and plants, 1027.
- Otto's method for the estimation of fusel oil in brandy, 123.
- poisoning of plants, 612.
- Kraut, K., chloride of lime and chloride of lithia, 17.
- *Magnesia alba*, 153.
- Kreis. See R. Meyer.
- Krenner, jadeite, 1066.
- Kretschy, M., oxidation of kynurine and kynurenic acid, 674.
- Kretzschmar, L., the test for life, 489.
- Krouckoll, variation of the constant of capillarity of the surfaces, water-ether, and water-carbon bisulphide, under the action of electromotive force, 1047.
- Krüss, G., and S. Economides, relation between the composition of organic compounds and their absorption spectra, 1041.
- Krutwig, J., and A. Cocheteux, estimation of iron by means of permanganate, 1168.
- Kuckein, F., tissue-waste in the fowl during starvation, 603.
- Kühn, G., and others, digestibility of meadow hay and wheat bran treated with hot and cold water, 816.
- Kühn, J., examination of ophites from the Pyrenees, 448.
- *Phoma gentianæ*, a newly observed parasitic fungus, 1025.
- Kühn, J., and H. Joulie, diseases of sugar-beet, 111.
- Küstel, roasting of gold telluride, 691.
- Kutscheroff, M. G., action of hydro-

carbons of the acetylene series on mercuric salts, 172.
Kutzleb, V., researches on the causes of clover sickness, 233.
Kuzel. See *Fischer*.

L.

Laar, C., use of diphenylamine and aniline in qualitative analysis, 239.
Laatsch, H., ethylidene oxychloride, 788.
Lach, B., aldoximes, 1104.
Lachowicz, B., action of the chlorides of phosphorus on phenanthraquinone, 666.
La Coste, W., bromoquinoline-sulphonic acids, 96.
 — nitro- and amido-bromoquinoline, 90.
 — nitroquinolines, 811.
Lacroix, A., melanite from Lantigné (Rhône), 438.
Ladenburg, A., action of methyl alcohol on piperidine hydrochloride, 1154.
 — benzene formulæ, 51.
 — constitution of atropine, 670.
 — hydrotropidine, 1155.
 — imines, 910.
 — lecture experiments, 1048.
 — preparation of chlorhydrins, 1077.
 — synthesis in the pyridine series, 1151.
 — synthesis of γ -ethylpyridine, 1151.
Ladureau, A., cultivation of the sugar-beet, 114.
Lafitte, P. de, and others, on phylloxera, 233.
Lagarde, H., photometric intensity of the lines of the hydrogen spectrum, 537.
Lagarde. See also *Thoulet*.
Landolf, F., decomposition of α -fluoroboracetone by water, 655.
Landrin, E., action of different varieties of silica on lime-water, 712.
 — action of water on the lime of Theil; existence of a new compound, "Pouzzo-Portland," 830.
 — analysis of puzzuanas, and estimation of their comparative value, 628.
 — hydraulic silica and its functions in hydraulic cements, 754.
Landsberg, M., imides of bibasic acids, 475.
Landshoff, L., naphthylaminesulphonic acid, 1135.
Langer, C., and V. Meyer, dissociation of chlorine and bromine, 546.

Langer, T., amount of carbonic anhydride in beer, 535.
Langsdorff, K. v., fattening calves, 815.
Langley, observations on the solar spectrum, 137.
Langley, J. N., decomposition of digestive ferments, 815.
Lauber and A. Steinheil, use of soap in dyeing, 894.
Lawes, J. B., and J. H. Gilbert, composition of the ash of the entire animals and of certain separate parts of some of the animals used as human food, 1019.
Lebedeff, A., nutrition by fat, 740.
Le Bel, J. A., formation of amyl alcohol in alcoholic fermentation, 908.
 — geometrical formulæ of maleic and fumaric acids, 44.
Le Chatelier, H., hardening of cements, 831.
 — hydraulic silica, 755.
 — the setting of plaster of Paris, 712.
Le Chatelier. See also *Malard*.
Le Conte, J., and W. B. Rising, metalliferous vein formation at Sulphur Bank, 1070.
Lecouteaux, E., composition of pig-dung, 117.
Ledderboge. See *Jacobsen*.
Lebeduhr, A., a colour-method for the estimation of manganese, 242.
 — estimation of oxygen and carbon in iron, 121.
Leeds, A. R., acrolein-ureide and condensed ureides, 664.
 — cryptidine, 669.
 — insoluble residue from the distillation of castor oil, 655.
 — cenanthalaniline, cenanthalxylidine, and cenanthalnaphthylamine, 659.
Legler, E., a new product of the slow combustion of ether, 860.
Legler, L., estimation of methaldehyde, 1035.
Legros. See *Spring*.
Lehmann, V., further contributions to the distribution and elimination of lead, 1163.
 — methods of detecting lead, silver, and mercury in the body in cases of poisoning, 687.
Lellmann, E., a case of physical isomerism, 343.
 — cyanic acid derivatives of the three isomeric phenylenediamines, 798.
 — derivatives of diphenyl, 343.
 — nitro- and amido-derivatives of benzenesulphonanilide and benzene-sulphonparatoluide, 800.

- Lellmann, E., phenylenethiocarbonamides, 185.
 — the three isomeric phenylenediamines, 334.
- Lenné, A., employment of peat as litter, 238.
- Lenz, W., examination of bismuth sub-nitrate, 382.
- Leplay, H., chemistry of the maize plant, 366, 747.
 — chemistry of white Silesian beet-root, 235, 368.
- Lescoeur, hydrates of baryta, 1052.
- Levy, S., chlorine and bromine derivatives of quinone, 1117.
- Lewinstein, I., β -naphtholtrisulphonic acid, 737.
- Lewis, H. C., substance resembling dopplerite from a peat bog near Scranton, 427.
- Lewkowitsch, J., laevorotatory mandelic acid, 1124.
 — separation of inactive mandelic acid into two optically active isomerides, 1124.
- Lextreit, strychnine sulphate, 223.
- Leydhecker, A., and others, potato-culture, 114.
- Lidoff, A., analyses of petroleum-coke, 408.
- Lidoff, A., and W. Tichomiroff, action of the galvanic current on chlorates, 149.
- Lieben, A., and L. Haitinger, chelidonic acid, 870.
- Lieben, A., and S. Zeisel, condensation-products of aldehydes and their derivatives, 570, 963.
- Liebenberg, A. v., part played by lime in the germination of seeds, 490.
- Lieber, K., application of aluminium palmitate, 405.
- Liebermann, C., action of concentrated sulphuric acid on dinitro-anthraquinone, 597.
 — decomposition of rosaniline by water, 1097.
- Liebermann, C., and A. Hagen, action of concentrated sulphuric acid on dinitroanthraquinone, 72.
 — — action of sulphuric acid on di- and tri-allylamine, 1086.
 — — derivatives of anthrol salts, 73.
- Liebermann, C., and C. Paal, allylamine derivatives, 908.
- Liebermann, C., and C. Scheibler, reduction of saccharin, 1078.
- Liebermann, L., detection of sulphurous acid in wine, 384.
- Liebmann, A., isobutyl- and amyl-phenols, 59.
- Limpach, L., naphtholtrisulphonic acid, 1136.
- Lindgren, W., arsenates from Laangban, 434.
- Link. See Roemer.
- Lipp, A., phenylglyceric acid, 994.
- Lipp. See also Erlenmeyer.
- lippe. See Claus.
- Lippmann, E., addition of bromine to ethyl acetacetate, 177.
 — diamidocumic acid, 194.
- Lippmann, E., and F. Fleissner, azylines, 55, 184, 868, 1100.
- Lippmann, E. O. v., occurrence of a new acid in beet-juice, 913.
 — — occurrence of conifern in the woody structure of the beet-root, 611.
- Livache, A., action of certain metals on oils, 756.
- Liveing, G. D., and J. Dewar, an arrangement of the electric arc for the study of radiation of vapours, 262.
 — — — disappearance of some spectral lines and the variation of metallic spectra due to mixed vapours, 2.
 — — — note on the absorption of ultra-violet rays by various substances, 837.
 — — — order of reversibility of lithium lines, 839.
- — — origin of the hydrocarbon flame spectrum, 641.
- — — reversal of hydrogen lines, 838.
- — — spectra of carbon and its compounds, 1, 261.
- — — spectrum of carbon, 1.
- — — spectrum of water, 140.
- — — the ultra-violet spectra of elements, 262.
- Ljubavin, N., action of ammonium cyanate on glyoxal, 178.
- Loew, O., chemical character of living protoplasm, 819.
- Loew, O., and T. Bokorny, employment of magenta with sulphurous anhydride as a microchemical test for aldehyde, 829.
- Loew, O., and others, changes occurring in preserved milk, 634.
- Loewe, J., adulteration of cochineal, 408.
 — — storage of oxygen in zinc gas-holders, 619.
- Loges, G., estimation of humus in soils, 247, 830.
- Lommel, E., fluorescence of iodine vapour, 763.
- Longi, A., iodide of argentammonium, 1052.
 — — testing for hydrocyanic, hydro-

- chloric, hydrobromic, hydroiodic, chloric, bromic, iodic, hydroferrocyanic and hydroferriecyanic acids, 1172.
- Lorenzen, J., minerals in the sodalite syenite of S. Greenland, 960.
- Losanitsch, S. M., action of iodine on mono- and di-nitrodiphenylthiocarbamide, 582.
- formation of dibromodinitromethane and of Villiers's tetranitroethylene bromide, 564.
- Lossen, W., specific volumes of liquids, 13.
- Louise, E., action of anhydrous aluminium chloride on acetone, 176.
- a new hydrocarbon, 323.
- benzoylmesitylene, 577.
- Lubisch, T., toughened glass, 399.
- Ludwig, E., chemical composition of epidote, 443.
- danburite from the Siopi in Grumbünden, 437.
- Ludiwg. See also Tiemann.
- Luedcke, O., tinder ore from the Harz, 1061.
- Lunge, G., determination of caustic alkalis in presence of the carbonates, 828.
- recent progress in the soda industry, 524.
- Lunge, G., and P. Naef, bleaching powder and analogous compounds, 953.
- Lunge, G., and R. Schoch, calcium hypoidite, 17.
- Lustgarten, L., detection of iodoform, naphthol, and chloroform, 243.
- Luxardo, O., existence of basic substances in maize, 1156.
- Lwoff. See Kelbe.
- M.**
- Mabery. See Hill.
- Macaluso, D., and G. Grimaldi, influence of hygroscopic condensation in glass vessels on the determination of the density of aqueous vapour, 507.
- Macarthur, R., determination of zinc as sulphide, 828.
- McCallum, H., *Camellia oleifera* seeds, 1166.
- McCay, L. W., new volumetric method for the estimation of arsenic, 1034.
- water analysis, 829.
- Mach, E., and C. Portele, amount of extract in Tyrolese wines, 245.
- McMunn, C. A., colouring-matter of bile of invertebrates and vertebrates, and unusual urine pigments, 1159.
- Macpherson, J., occurrence of aërenite, 562.
- Mähly. See Friedländer.
- Märcker, M., decomposition of diffusion residues from beet-root, 1025.
- manuring Alpine meadows, 238.
- manuring with sulphuric acid, 681.
- Magnanimi. See Scichilone.
- Mainzer, K., products of the decomposition of mixed aromatic thiocarbamides by acids, 1106.
- Malenfant, alteration of syrup of tolu, 407.
- Mallard and Le Chatelier, combustion of gaseous mixtures, 844.
- momentary pressures produced during the combustion gaseous mixtures, 542.
- nature of the vibratory movements which accompany the propagation of flame in mixtures of combustible gases, 148.
- Mallet, J. W., crystalline form of sipylite, 435.
- determination of organic matter in potable water, 1171.
- properties of pure aluminium, 151.
- Maly, R., and R. Andreasch, caffeine and theobromine, 1016.
- Maly, R., and F. Emich, behaviour of the bile acids with albumin and peptones: antiseptic action of the bile acids, 673.
- Maneuvrier. See Jamain.
- Mangon, H., the ice plant (*M. crystallinum*), 499.
- Mann, P., rutile as a product of the decomposition of titanite, 33.
- Maquenne, L., action of carbonic oxide on steam, 860.
- action of ozone on hydrocarbons, 37.
- ammonio-cobalt compounds, 557.
- decomposition of formic acid by the silent discharge, 457.
- Maquenne. See also Déhérain.
- Marachetti, C., picrates of α - and β -naphthol, 344.
- Marcano, V., direct fermentation of starch, 365.
- Marcus and O. de Coninck, physiological action of β -collidine, 104.
- Mareck, G., diffusion of sugar in beet, 124.
- Margottet. See Hautefeuille.
- Marié-Davy, nitrification in the soil, 116.
- Markownikoff, W., and W. Ogleblin, chlorination of hydrocarbons from Caucasian petroleum, 564.

- Marpmann**, G., progress in the knowledge of bacteria, 364.
 — schizomycetic fermentation, 363.
- Marsh**, C. W., ammonia process for water analysis, 514.
- Martini**, A., and A. Weber, silicates of the phenols, 983.
- Massie**, F. A., colourless mimetite from the Richmond mine, 163.
- Masure**, F., evaporation of water from the soil, 615.
- Matthews**, A. E., and W. R. Hodgkinson, ethyl acetoacetate, 311.
- Maumené**, E., chlorine hydrates, 780.
- Maumené**, E. J., hydrates of baryta, 1052.
 — cenocyanin, 215.
- Mayer**, A., action of invertin, 486.
 — antiseptics, 249.
- Mayer**, A., and F. Clausnitzer, analysis of gas-lime, 506.
- Mayer**, A., and others, the temperature most favourable to the action of invertin, 101.
- Mayer**, L., and E. v. Schmid, estimation of phosphoric acid, 241.
- Mayer**, L., and O. Wagner, analysis of bauxite, 888.
- Mayrhofer**. See Donath.
- Mazzara**, G., isopropyl-, diisopropyl-, and dipropyl-metacresols, 463.
- Meissen**, P., addition-products of some terpenes, 1140.
- Meissl**, E., detection of benzoic and boric acids in milk, 385.
- Meissl**, E., and F. Böcker, constituents of the beans of *Soja hispida*, 1024.
- Meldola**, R., action of dibromonaphthal on amines, 536.
 — rosaniline colouring matters, 807.
- Melikoff**, P., addition of hypochlorous acid to β -crotonic acid, 311.
 — derivatives of the isomeric crotonic acids, 969.
- Melville**, W. H., crystalline form of tribromoacrylic acid, 310.
- Menke**. See Jackson.
- Mennel**, E., meconic acid and some of its derivatives, 656.
- Menschutkin**, N., decomposition of acetanilide by water, 326.
 — decomposition of tertiary amyl acetate by heat, 178, 309.
 — mutual displacement of bases of neutral salts in homogeneous systems, 550, 708.
- v. **Mering**, does potato-sugar contain any deleterious matter? 136.
- Merz**, V., conversion of phenols into nitrils and carboxylic acids, 802.
- Merz**, V., and W. Weith, nitro-derivatives of naphthalene, 343.
- Meschtersky**, I., barium compounds of bismuth peroxide, 158.
- Meunier**, J., action of potassium carbonate on benzyl and benzylene chloride, 59.
- Meunier**, S., formation of bauxite and of pisolithic iron-ore, 1065.
 — lithological determination of the meteorite of Estherville, Emmet Co., Iowa, 37.
- Meyer**, A., gentianosis, 810.
 — nature of Pringsheim's hypochlorin crystals, 483.
- Meyer**, E. v., cyanethine and bases derived from it, 352.
 — cyanmethine, 653.
- Meyer**, G., aldehydeammonium bases, 568, 1090.
 — some anomalous reactions, 1078.
- Meyer**, H., electric resistance of psilomelané, 701.
 — quantitative estimation of cinchona alkaloids, 388.
- Meyer**, H. See also Jacobsen.
- Meyer**, L., air-baths, 900.
 — basis of thermochemistry, 773.
 — formation and decomposition of acetanilide, 56.
 — recognition of suint in suet and other fats, 750.
- Meyer**, R., benzene formulæ, 51.
 — hydroxylation by direct oxidation, 983, 1072.
 — microscopic investigation of dyed cotton fabrics, 751.
- Meyer**, R., and E. Müller, synthesis of cuminic acid, 63.
- Meyer**, R., and H. Kreis, hydroxy-azo-compounds, 982.
- Meyer**, V., benzene from various sources, 315.
 — coal-tar toluene, 1092.
 — hydroxylamine hydrochloride, 646.
 — isonitroso-compounds, 569.
 — thiophene, a substance contained in coal-tar benzene, 1091.
 — vapour-density determination, 618.
- Meyer**, V., and M. Ceresole, constitution of nitroso-compounds, 572.
- Meyer**, V., and E. J. Constam, az-aurolic acid, 40.
- Meyer**, V., and A. Müller, constitution of nitrosomalonic acid, 790.
- Meyer**, V., and E. Nägeli, oxoctenol, 1076.
- V. **Meyer**. See also Goldschmidt, Langer, Treadwell, and Wittenberg.
- Meyer**. See also Déhérain.

- Michael, A., synthesis of salicin and of anhydrosalicylic glucoside, 77.
- Michaelis, W., Portland cement and its adulteration, 530.
- Michaelis, A., and L. Czimatis, trimethylphosphorbenzobetaine, 55.
- Michaelis, A., and L. Gleichmann, aromatic isophosphines, 185.
- Michaelis, A., and A. Reese, aromatic arsenic and antimony compounds, 327.
- Michaelis, A., and C. Schulte, arsenobenzene, arsenonaphthalene, and phenylcacdoyl, 187.
- Michel. See Jannettaz.
- Michel-Lévy, A., micaceous porphyrite of Morvan, 447.
- Michel-Lévy. See also Fouqué.
- Miller, O., detection of free sulphuric acid in presence of aluminium sulphate, 1168.
- Miller. See also Flückiger.
- v. Miller, W. See Doeblner.
- Millot, A., electrolytic estimation of zinc, 122.
- oxidation products obtained from carbon by electrolysis, 65.
- Mixter, W. G., Sauer's method of estimating sulphur, 239.
- Möhla, R., acetophenoneanilide, 332.
- action of bromacetophenone on phenol, 332.
- azo-colouring substances from diphenyldiisoindole, 342.
- bromacetophenone, 332.
- diphenyldiisoindole, 342.
- Moissan, H., chromous sulphate, 22.
- Moltchanoffsky, N., Klinger's method of preparing azoxybenzene, 180.
- Monckhoven, D. v., influence of temperature on the spectra of non-metals, 140.
- widening of the lines in the hydrogen spectrum, 139.
- Morgen, A., feeding value of fresh and dried diffusion residue, 680.
- Morgen. See also Fleischmann.
- Mori, A., the first product of plant-assimilation, 365.
- Moritz, J., freezing of wine, 135.
- Mosso. See Guareschi.
- Moulton. See Spottiswoode.
- Mousette, fermentation of bread, 1179.
- Muel, M. E., manuring forest trees, 617.
- Müller, A., cleaning of glass laboratory vessels, 395.
- isonitroso-acids, 1129.
- utilisation of butter-milk in bread making, 1037.
- Müller, H., contribution to the knowledge of the interchange of material in amylaceous plant organs, 497.
- Müller. See also R. Meyer and V. Meyer.
- Müller-Erzbach, W., relation of the heat of combustion of isomeric organic compounds to their densities, 1044.
- specific gravity and chemical affinities of elements in various allotropic modifications, 779.
- Mulder, E., a reaction of the compounds of normal cyanuric acid and cyanetholine, 305.
- properties of normal cyanic acid, 304.
- synthesis of optically active carbon compounds, 457.
- Mulder, E., and G. Hamburger, action of sodium ethylate on the sodium salt of symmetric dibromosuccinic acid, 312.
- — estimation of the halogens in carbon compounds, 379.
- Mulder, E., and H. G. L. van der Meulen, ozone in presence of platinum-black, 284.
- Munier, J., butter testing, 247.
- Müntz, A., estimation of carbon bisulphide in thiocarbonates, 935.
- Müntz, A., and E. Aubin, atmospheric nitrification, 233.
- — estimation of carbonic anhydride in the atmosphere, 121.
- Muschketow. See Beck.
- Musgrave, R. N., analysis of beautifully crystallised albite, from Amelia Co., 34.
- nitrites in human saliva, 227.

N.

- Nachbauer, K., embryos of ungerminated rye, 107.
- Naef. See Lunge.
- Nägeli, E., the hydroxylamine reaction, 728.
- Nägeli. See also V. Meyer.
- Napolitano, M., derivatives of para-cresolglycollic acid, 1126.
- Nasini, R., atomic refraction of sulphur, 264.
- Natterer, K., $\alpha\gamma$ -dichloroacetaldehyde, a condensation-product of monochloraldehyde, 964.
- Naudin, L., essence of angelica root, 809.
- Nawratil, A., examination of Galician petroleum, 533.

- Naylor, W. A. H., bitter principle of *Hymenodictyon excelsum*, 1141.
 Naylor, W. A. H., and J. O. Braithwaite, test for arsenic, 513.
 Neesen, F., specific heat of water, 541.
 Nencki, M., and N. Sieber, urorosein, 101.
 Nessler, J., and M. Barth, examination of alcoholic liquors, 518.
 Nicol, W. W. J., coefficient of expansion of sodium sulphate solutions, 17.
 Nicolajew, D. P., chemical composition of walujewite, 1068.
 Niederist, G., trimethylene glycol and trimethylene bases, 450.
 Niederstadt, meat extract from South America, 406.
 Nies, F., and A. Winkelmann, volume change of metals on fusion, 545.
 Niessing, C., and others, diseases of plants and their prevention, 612.
 Nietzki, R., colouring matters of the safranine series, 731.
 — quinones and quinols, 465.
 Nikolsky, W., and A. Saytzeff, hydrocarbon, $C_{12}H_{20}$, prepared from allyl dimethyl carbinol, 1074.
 Nilson, L. F., crystalline form, specific heat, and atomicity of thorium, 553.
 — determination of the equivalent of thorium, 152.
 — metallic thorium, 152.
 — specific heat and valency of thorium, 649.
 — the thorite of Arendal, 299.
 Nishack, methylsulphonic acid, 972.
 Noack, E., new method for preparing carbonic oxide, 574.
 — phenyl salts of phosphorous acids, 735.
 Nobbe. See Döhn.
 Noellner, A., some artificial products from cryolite, 30.
 Noelting, E., dissociation of trichloromethyl sulphochloride, 38.
 — rosaniline derivatives, 54.
 Noelting, E., and R. Bourchart, action of sulphuric acid on protocatechuic acid, 65.
 Noelting, E., and E. v. Salis, nitro-derivatives of the cresols, 59.
 Nordström, T., silver amalgam from the Sala mines, 426.
 — the pyrolusite mines of Bölet, 31.
 Norton. See Tcherniac.
 Noyes, W. A., oxidation of the nitrotoluenes by potassium ferricyanide, 577.

O.

- Obach, E., purification of carbon bisulphide, 43.
 Oberbeck, A., electrodynamic interference of alternating currents, 897.
 Obernetter, J. B., silver bromide gelatin-emulsion, 395.
 Economides. See Baeyer and Krüss.
 Ogier, J., pyrosulphuric chloride, 423, 646.
 — sulphuric monochloride, 642.
 Ogier. See also Berthelot.
 Globin. See Markownikoff.
 Ohlmüller, W., decrease in weight of individual organs in children dying from atrophy, 606.
 Oliveri. See Étard.
 Ollech, H. v., estimation of "half-soluble" phosphoric acid, 508.
 Olszewski. See Wroblewski.
 Orth, A., mechanical and chemical analysis of soils, 621.
 Ost, H., derivatives of meconic acid containing nitrogen, and their conversion into pyridine, 791.
 Ostwald, W., action of acids on acetamide, 575.
 — manufacture and correction of burettes, 619.
 Oudemans, A. C., laws of the variation of the specific rotatory power of alkaloids under the influence of acids, 81.
 — specific rotatory power of apocinchonine and hydrochlorapocinchonine under the influence of acids, 359.

P.

- Paal, C., action of acetic chloride on benzaldehyde in presence of zinc-dust, 62, 805.
 Paal. See also Liebermann.
 Pabst, M. A., indophenol, 69.
 Pabst. See also Girard.
 Page, W. T., metallic iron accompanying native gold in Montgomery Co., Virginia, 29.
 — new sulphide received as tetrahedrite, from Great Eastern mine, Colorado, 161.
 Pampe, F., contribution to the problem of frothy fermentation, 892.
 Papasogli. See Bartoli.
 Parmentier, F., a hydrate of molybdic acid, 158.
 Pascher, C., argentine, 405.

- Paschkis, H., detection of mercury in animal tissues, 1169.
- Pastrovitch, P., cœrulignol; Reichenbach's oxidising principle, 1005.
— Reichenbach's picamar, 1004.
- Paternò, E., cymenesulphonic acids, 999.
— lapachic acid, 210.
- Patrouillard, C., use of oxalic acid as a test for arsenates in alkaline salts, 243.
- Paul, B. H., cinchona bark grown in Jamaica, 1165.
- Paul, G. A., feeding calves with skim milk, 675.
- Pavel, O., nitrososulphides and nitroso-cyanides, 297.
- Pavy, F. W., physiology of carbohydrates in the animal system, 1160.
- Pawlewski, P., determination of vapour-density, 951.
— critical temperature of ethereal salts, 276.
— stability of trimethylcarbinol, 565.
- Pawlow, W., tetric acid, 730.
- Pebal, L., mechanical separation of minerals, 158.
- Pechmann, H. v., synthesis of dihydro-naphthoic acid, 808.
- Pellet, H., and A. Dabaele, manufacture of sugar without bone-charcoal or sulphurous anhydride, 835.
- Pellet. See also Robinet.
- Pellizzari. See Tommasi.
- Pemberton, H., potash alum from felspar, 424.
— working of sulphuric acid chambers, 887.
- Penfield, S. L., occurrence and composition of some American varieties of monazite, 162.
— phenylhomoparaconic acid, 473.
- Penzoldt, F., and E. Fischer, new test for aldehydes, 829.
- Perkin, Jun., W. H., action of trimethylene bromide on ethyl acetoacetate, benzoylacetate, and malonate, 1083.
- Petermann, A., analysis of materials used in the preparation of composts, 504.
— composition of fodders, 111.
— manurial value of "dissolved wool," 500.
- Petraczek, J., aldoximes, 569.
- Pfaff, F., a new homologue of resorcinol, 918.
— reduction of substituted phenols, 802.
- Pfaundler, L., explosion of a tube containing liquid carbonic anhydride, 422.
- Pfaundler, L., explosion of a zinc-gasometer containing oxygen, 524.
- Pfeiffer, E., milk analysis, 521.
- Pfeiffer, T., artificial and natural digestion of nitrogenous matter, 227.
- Pfeiffer, T., and others, formula of starch, 307.
- Pfordten, O. v. d., estimation of phosphoric acid, 121.
— reduction of molybdenum compounds, 122.
— reduction of tungsten compounds, 554.
- Philip, J., silver hypophosphate, 1052.
- Philipp, J., basic potassium beryllium oxalate, 1085.
- Philipps, F. C., absorption of metallic oxides by plants, 231.
- Phillips, S. J., conversion of maltose into glucose, 38.
- Hipson, T. L., colouring matter (ruberine) and alkaloid (agarythrine) in *Agaricus ruber*, 100.
- Piccini, A., oxidation of titanic acid, 1055.
- Pichard, P., plastering of wines; rapid estimation of cream of tartar, 755.
- Pickering, S. U., basic sulphate of copper, 853.
— supersaturation, 645.
— testing for barium or sulphuric acid, 240.
- Pieper, R., four metamic benzanis-ethyl-hydroxylamines, 460.
- Pierson, A., and K. Heumann, action of ethyldichloramine on aromatic amines, and on hydrazobenzene, 915.
- Piest. See Tiemann.
- Pillitz, W., argentous oxide, 288.
- Pinard, G., on a bed of coal discovered in Algiers, and on the layers of white sand accompanying the same, 160.
- Pinner, A., action of acetic anhydride on the amidines, 1099.
— action of hydrocyanic acid and ethylene cyanide on hydrochloric acid and alcohol, 731.
— condensation of acetone, 1079.
— conversion of nitrils into imides, 731, 1089.
— derivatives of ethyloximide and ethylsuccinimide, 1088.
- Piutti, A., phthalamidobenzoic acid, 999.
- Plauchud, reduction of sulphates by "sulfuraires" and formation of natural mineral sulphides, 610.
- Plöchl, J., constitution of the halogen cinnamic acids, 194.
- Plöchl, J., and F. Blümlein, constitution of benzoylcarbinol, 983.

Plosz, P., new crystalline colouring matter in urine, 814.

Precht. See Wittjen.

Preece, W. H., effects of temperature on the electromotive force and resistance of batteries, 840.

Preis, K., and B. Rayman, compounds of tin with bromine, 424.

Pressler. See Schmidt.

Prinz, W., the inclusions in sapphire, ruby, and spinel, 1062.

Probert, J., and R. W. Soward, effect of the absorbed gases on the electrical conductivity of carbon, 769.

Pröpper, M., action of nitric acid on ethyl acetoacetate and chloracetate, 573.

Prudhomme, M., and F. Binder, chromic acid and chromates, 22.

Puliti. See Schiff.

Puscher, E., process for rendering cement and lime less subject to atmospheric influences, 398, 530.

Poehl, A., formation of peptone and its conversion into albuminoid substances, 603.

— peptone, 926.

— putrefaction alkaloids, 1157.

Poetsch, W., action of carbonic oxide on a mixture of sodium acetate and sodium isopentylate, 729.

Poleck, T., analysis of a mineral spring at Salzbrunn, 563.

Porro, B., Italian petroleums, 1180.

Portele. See Mach.

Potilitzin, A., analysis of waters accompanying petroleum and of those ejected by mud-volcanoes, 171.

Pouchet, A. G., sugar from the lungs of phthisical patients, 929.

Power, J. B., excretion of nitrogen from the skin, 227.

Q.

Quineke, G., electric researches, 945.

R.

Raabe, F. W., direct determination of the heat of combination of certain gases, 274.

Radziszewski, B., glyoxaline and its homologues, 308.

— new gloxalines, 1086.

— synthesis of oxaline bases, 728.

— theory of phosphorescence, 763.

Rammelsberg, C., double chloride of potassium and thallium, 424.

— potassium sesquicarbonate, 646.

— thallium and lithium phosphates, 424.

Ransom, F., detection of strontium, 509.

Ransom. See also Dunstan.

Raoult, F. M., law of freezing of aqueous solutions of carbon compounds, 7, 952.

— law of freezing of solvents, 278.

Rasinski, F., biuret dicyanamide, 658.

Rath, G. v., iron glance and augite from Ascension, 436.

Raumer. See Hornberger.

Raydt, W., liquid carbonic anhydride as a fire extinguisher, 408.

Rayman. See Preis.

Reboul, E., action of triethylamine on symmetrical trichlorhydrin, and on the two dichloropropylenes, 307.

Reese. See Michaelis.

Reformatsky, S., hydrocarbon, $C_{10}H_{18}$, prepared from allyl dipropyl carbinol, 1073.

Reibenschuh, A. F., methylbiguanide and its compounds, 974.

Reimer. See Jacobsen.

Reinders, G., manuring experiments in Holland, 617.

Reinhardt, H., and W. Staedel, methylation and ethylation of aniline and toluidine, 578.

Reinitzer. See Gintl.

Reinke, J., autoxidation in plant cells, 819.

— easily oxidisable constituents of plants, 880.

Reisenegger, H., compounds of the hydrazines with the ketones, 798.

Reiset, J., blue milk, 742.

— exhalation of nitrogen gas during the respiration of animals, 675.

Rémont, A., estimation of salicylic acid in milk and butter, 522.

— rapid method of estimating salicylic acid in wines, 245.

Reychler, A., silver nitrate and ammonia, 902.

Renard, A., garnet and amphibole rocks of the Bastogne region, 958.

— monazite and zircon from the quarries of Nil-St. Vincent, 561.

— products of the distillation of colophony, 599.

Rénouard, A., cotton cake, 111.

Renouf, E., derivatives of triphenylmethane, 981.

Reuter, A., action of zinc chloride on camphor, 810.

- Reynier, E., observations on Trouv 's paper on the bichromate battery, 700.
- Reynolds, J. E., comparative effect of two metamic bodies on the growth of *Nicotiana longiflora*, 495.
- Rhoussopoulos, O., action of chloroform and iodoform on quinoline, 600.
— methylenediquinol hydrochloride, 1150.
— quinoline derivatives, 96.
- Riban, J., conversion of tricalcium phosphate into chlorine compounds of phosphorus, 287.
- Ricciardi, L., composition of the banana at different stages of maturity, 231.
— composition of various layers of a lava current from Etna, 36.
- Richet. See Etard.
- Richter, A. R., thymol derivatives, 1112.
- Richter, V. v., cinnoline-derivatives, 1105.
- Riedel, C., quinoline- and pyridine-carboxylic acids, 1152.
- Riemann. See Claus.
- Riemerschmied, C., β -hydroxyquinoline, 1147.
- Riemerschmied. See also Fischer.
- Riess, P., electric shadows, 416.
- Riffard, E., artificial manuring of sugar-canies, 506.
- Rinicker and D ssekkel, hailstorms, and their origin, 234.
- Rimpau, W., and others, sugar-beet culture, 114.
- Rinman, L., composition of fir-wood charcoal, 533.
- Rising. See Le Conte.
- Ritthausen, H., albumino ids in peach-kernels and sesame-cake, 360.
— behaviour of conglutin from lupines towards saline solutions, 360.
— legumin, 675.
— skim milk as food, 102.
- Rivi re, C., law of cooling, 144.
- Robinet, C., derivatives of mesitylene, 577.
- Robinet and Colson, mesitylene, 1095.
- Robinet, E., and H. Pellet, antiseptic action of salicylic acid, 128.
- Rocholl, H., estimation of sulphur in pig-iron, 512.
- Rodatz, P., brominated azobenzene-disulphonic acids, 478.
— constitution of some azobenzene-disulphonic acids, 477.
- Roeder. See Fittig.
- R hrmann, F., observations on a dog with biliary fistula, 818.
- Roemer, H., dinitroanthraquinone and diorthamidoanthraquinone: a new method of preparing anthrarufin, 737.
- Roemer, H., new nitro- and amido-anthraquinone, 71.
— reduction in the anthracene series, 1137.
- Roemer, H., and W. Link, amido-methylanthranol, 1137.
— nitro-, amido-, and hydroxy-methylanthraquinones, 1138.
- Roessler's method for the separation of gold, silver, lead, and copper from sulphides by air-blast, 400.
- Rohart, new properties of ferric sulphate, 1178.
- Rohrbach, C., application of a solution of barium mercury iodide to petrological purposes, 1060.
- Romanese. See Bellati.
- Romanis, N., water of Rangoon, 128.
— analysis of tobacco ash, 372.
- Romburgh, P. v., action of benzoic anhydride on epichlorhydrin, 62.
— action of benzoic anhydride on monochloracetone and on pyruvyl benzoate, 63.
— conversion of organic chlorides into iodides by means of calcium iodide, 303.
— isomeric monochlorallyl iodides, 449.
- Roser, W., xeric and pyrocinchonic acids, 98.
- Rother, R., ferrous citrate and its double and secondary salts, 458.
- Rumpf, J., analysis of miargyrite from Pribram, 428.
- Runeberg, J. W., filtration of albumin solutions through animal membranes, 1160.
- Russo. See Weidel.
- Ruttgenbach, separation of minerals according to the degree of cohesion, 858.

S.

- Sabatier, P., compounds of silicon with sulphur, 15.
- Sachtleben. See Fleischmann.
- Sadtler, B., minerals from Fritz Island, Pennsylvania, 441.
- St. Martin, L. G. de, special form of gasometer, 847.
- Salfeld, A., comparative manuring experiments, 116.
- v. Salis. See Noelting.
- Salkowski, E. and H., putrefaction alkaloids, 925, 1159.

- Salomon, F.**, estimation of rice starch, 124.
Salomon, G., paraxanthine, a new constituent of human urine, 601.
Salzer, L., purification of alcohol prepared from molasses or beet-root, 630.
Samonoff, N., azoxylene, 180.
Sandberg, F., rutile in phlogopite, 34.
Sanger. See Hill.
Sarasin. See Friedel and Soret.
Saytzeff. See Nikolsky.
Scacchi, A., new sublimes from the crater of Vesuvius, 1064.
Schaal, E., injurious action of a copperiferous oil used in Turkey-red dyeing, 256.
Schaeppi, H., recovery of sulphur by Mond's process, 129.
Schall, C., action of iodine on sodium phenate, 1109.
— diiodophenol, 1109.
Scharitzer, R., idrialite, 427.
Schatz, F., oiling and the operations connected therewith in Turkey-red dyeing, 635.
Scheffer, J. D. R., diffusion of some organic and inorganic compounds, 1047.
Scheerer, analysis of the Mansfeld copper slate, 1069.
Scheibe, E., separation of morphia in chemico-legal investigations, 1036.
Scheibler, C., recovery of sugar from molasses by means of strontium hydroxide, 252, 536.
Scheibler. See also Liebermann.
Schepper, H. Y. de, and **A. Geibel**, examination of fat, 125.
Schertel, A., volume-weight of sulphuric acid, 288.
Scheurer-Kestner, A., formation of nitrous acid in the evaporation of water, 850.
— note on the soda industry, 887.
Schiff, H., aldehydic nature of oxidation-products of terebene, 1141.
— glucosides, 347.
— methylarbutin, 60.
— protocatechutannic acid and anhydrides of aromatic hydroxycarboxylic acids, 335.
Schiff, R., constant of capillarity of liquids at their boiling points, 549.
— molecular volume of liquid substances, 1044.
Schiff, R., and **J. Puliti**, introduction of hydrocarbon radicles into the pyridene group, 1151.
Schlagdenhauffen, M., origin of arsenic and lithium in waters containing calcium sulphate, 302.
Schlagdenhauffen, M., presence of arsenic in the waters of Barèges, 302.
Schlagdenhauffen. See also Heckel.
Schmid, H., application of Baeyer's artificial indigo, 257.
Schmid. See also L. Mayer.
Schmidt, A., pseudobrookite, 435.
Schmidt, E., action of hydrochloric acid on caffeine, 873.
— action of hydrochloric acid on xanthine, 871.
— occurrence of caffeine, 873.
Schmidt, E., and **H. Pressler**, theobromine, 872.
Schmidt. See also Benedikt.
Schmiedeberg, O., active principle of the root of *Apocynum cannabinum*, 1141.
— decomposition and synthesis in the animal organism, 361.
— oxidations and syntheses in the animal organism, 361.
Schmitt, C., and **C. Hiepe**, estimation of fixed organic acids in wine, 384.
Schmitt, E., adulteration of butter, 521.
Schober, J. B., examination of the ores from Amberger, and of the accompanying phosphates, 432.
Schoch. See Lunge.
Schoff, F., reduction of monobromo-orthonitrophenol, 1109.
Schorlemmer, C., and **T. E. Thorpe**, normal paraffins, 651.
Schott and others, purification of sugar-beet juice, 136.
Schotten, C., conine, 220.
— oxidation of piperidine, 813.
Schottländer, P., gold compounds, 853.
Schramm, C., acetoximic acids, 590.
— isonitroso-ketones, 573.
Schramm, J., action of bromine on aromatic hydrocarbons, 977.
— action of sodium on methyl ethyl ketone, 1079.
— diethyl ketone, 1080.
— position of thallium in the chemical system, and its presence in sylvan, 954.
Schrauf, A., the so-called liebigite from Joachimsthal, 955.
Schrauf, A., and others, danburite from Switzerland, 956.
Schrodt, M., and others, on milk, 254.
Schröder, H., boiling points of the corresponding ketones, ethereal salts, and chloranhydrides, 990.

- Schröder, H., constitution of liquid compounds, 422.
 — dependence of molecular refraction of liquid carbon compounds on their chemical constitution, 538.
- Schröder. See also Barth.
- Schrötter. See v. Gerichten.
- Schubert, B., occurrence of minerals at Jordansmühl, in Silesia, 35.
- Schubert, S., diisobutylquinol, 60.
- Schüler, G., dihydroxyanthracene from *a*-anthraquinonesulphonic acid (flavol), 74.
- Schützenberger, P., and A. Colson, silicon, 15.
- Schuller, A., distillation in a vacuum, 545.
- Schulte. See Michaelis.
- Schulzen, A. de, artificial analcime, 34.
 — artificial production of a crystallised hydrated silicate, 33.
 — barium potassium phosphate and barium sodium phosphate, 711.
- Schultz. See Erdmann.
- Schulze, B., estimation of sulphuric acid in presence of alkaline chlorides, 240.
- Schulze, E., appendix to the paper on cholesterolin, 586.
 — extraction of asparagine from liquids, 315.
- Schulze, E., and J. Barbieri, formation of phenylamidopropionic acid by the action of stannous chloride on albuminoïds, 1122.
 — — phenylamidopropionic and phenylamidovaleric acid from lupine shoots, 1122.
- Schulze, E., and E. Bosshard, glutamine, 658.
- Schulze, F., and others, cultivation of potatoes, 680.
- Schulze, H., antimonious sulphide in aqueous solution, 784.
 — arsenious sulphide in aqueous solution, 295.
 — phosphorus subsulphide, 1049.
- Schulze, J., preparation of acetamide and other amides of the acetic series, 1088.
 — preparation of ammonium thiocyanate, 1074.
- Schulze. See also Wallach.
- Schutte, C., phenylarsine sulphides, 186.
- Schwarz, H., lecture experiment illustrating the combination of zinc with sulphur, 292.
 — modification of v. Meyer's vapour-density apparatus, 899.
 — α -, β -, and γ -pyrocresoles, 204.
- Schwebel, P., specific rotatory power of salts of nicotine, 354.
- Seichilone, S., allyloxybenzoic acids, 335.
- Seichilone, S., and A. Denaro, mannitine, a new alkaloïd from mannitol, 50.
- Seichilone, S., and v. Magnanimi, distillation of strychnine with zinc-dust, 99.
- Scott. See Dewar.
- Scriyanow's chloride of silver element, 840.
- Seamon, W. H., alloys of gold, silver, &c., found in grains along with the native platinum of Columbia, 160.
 — analysis of a mineral allied to orthite, 164.
 — analysis of a niobate which has been improperly called euxenite, from Mitchell Co., N. Carolina, 32.
 — fergusonite from Brindletown, Burke Co., N. Carolina, 32.
 — native palladium-gold from Ta-guaril, Brazil, 160.
 — supposed meteorite found in Augusta Co., Virginia, 37.
- Seegen, J., peptone the source of sugar in the liver, 818.
- Seger, H., analysis of clay from Löthain, 627.
- Sell, W. T., series of salts containing chromium and urea, 178.
- Semmola, E., new experiment in electrolysis, 540.
- Senderens. See Filhol.
- Sestini, F., preparation of thiocarbonates for the destruction of phylloxera, 405.
- Seyda, A., sulphonic acids of quinol, 1115.
- Shenstone, W. A., Jafferabad aloes, 480.
- Shepherd, H. H. B., determination of nitrogen in mixtures containing nitrogenous organic matter, ammoniacal salts, and nitrates, 685.
- Shepard, C. U., two new minerals, monetite and monite, with a notice of pyroclasite, 1063.
- Short. See Dunstan.
- Sidersky, D., separation of strontium and calcium, 508.
- Sieber. See Nencki.
- Siemens, W., luminosity of flame, 539.
- Siewert, M., oxalic acid in potatoes and in malt, 232.
- Silberstein, H., diazo-derivatives of symmetrical tribromaniline, 660.
- Silliman, B., martite of the Cerro de Mercado, or Iron Mountain of Du-

- rango, Mexico, and iron ores of Sinaloa, 162.
- Silliman, B., turquoise of New Mexico, 431.
- Simand, F., estimation of tannin, 391.
- Sipöcz, L., analyses of scapolite, 440.
- Sjögren, H., composition of minerals of the chondrodite group, 436.
- S kraup, Z. H., synthetic researches in the quinoline series, 92.
- S kraup, Z. H., and A. Cobenzl, α - and β -naphthoquinoline, 1010.
- S kraup, Z. H., and G. Vortmann, dipyridyl-derivatives, 85.
- Smith, J. L., and others, hiddenite, an emerald-green variety of spodumene, 440.
- Solthien, separation of silver from alloys, 243.
- Sommerlad, H., basalt rocks containing hornblende, 169.
- Sondén, K., analysis of petalite from Utö, 440.
- modification of Scheibler's azotometer, 508.
- Soret, J. L., and E. Sarasin, circular polarisation of quartz, 140.
- Soward. See Probert.
- Soxhlet, F., and A. Behr, manufacture of starch-sugar, 39.
- Spalteholz, W., colouring-matter from coal-tar quinoline, 1150.
- Spezia, G., beryl from Craveggia, Piedmont, 958.
- the gneiss of Beura, 960.
- Spica, P., a metacymene and a new isomeride of thymol, 459.
- camphor-cymene and the so-called second sulphonic acid of paracymene, 320.
- Spica, G., psoromic acid, a new acid extracted from *Psoroma crassum*, 80.
- Spica. See also Canzoneri.
- Spiegel, A., euxanthic acid, 219.
- Spindler, P., nitration of benzene-derivatives, 975.
- Spitzer. See Kachler.
- Spottiswoode, W., and J. F. Moulton, movement of gas in vacuum discharges, 5.
- Spring, W., colloidal copper sulphide, 904.
- expansion of isomorphous salts, 146.
- formation of arsenides by pressure, 650.
- formation of sulphides by pressure, 904.
- Spring, W., and E. Legros, alkyl-thiosulphuric acids, 47.
- Spring, W., and C. Winssinger, action of chlorine on sulpho-derivatives of organic oxysulphides, 659.
- Staedel, W., action of nitric acid on phenols, 861.
- aromatic ketones, 990.
- bromacetophenone and acetophenone derivatives, 586.
- bromonitro- and bromamido-anisoils and phenetoils, 662.
- ethyl amidocresols, 866.
- hydrobromides and hydriodides of aromatic bases, 578.
- nitrocresols, 662.
- nitrophenols and nitrocresols, 864.
- relation between boiling points and specific volumes, 302.
- substitution-products of ethereal derivatives of phenols, 662.
- the history of the metanitriles, 323.
- Staedel, W., and others, new ethereal derivatives of phenols, 585.
- Staedel. See also v. Baur and Reinhardt.
- Stanford, E. C. C., new substance obtained from some of the commoner species of marine algæ, 943.
- Stapleton, J., preparation of alkaline potassium permanganate solution for water analysis, 516.
- Starkl, G., bole from Steinkirchen, near Budweis, in Bohemia, 444.
- polyhydrite from St. Cristoph Mine, Breitenbrunn, in Saxony, 444.
- Stead, J. E., chemistry of the Bessemer converter, 832.
- new method of estimating carbon in iron and steel: a new form of chromometer, 1032.
- Stein, G. E., the metaphyres of the Little Carpathians, 447.
- Steiner, A., conversion of fulminates into hydroxylamine, 1074.
- Steinheil. See Lauber.
- Stellway, A., rise of temperature induced in soils by the condensation of liquid and gaseous water, and of gases, 615.
- Stelzner, A., melilite and melilite basalts, 719.
- Stengel, F., dialkyldisulphobenzoates, 999.
- Stephan, C., fluidity and galvanic conductivity, 769.
- Stephan. See also Tiemann.
- Steudemann, H., metanitrophenyl-thiocarbimide, 801.
- Stoddard, J. T., flashing point of petroleum, 383, 517.
- Stoltler, L., crystals in cementation steel, 629.

- Storch, L., precipitation of iron by hydrogen sulphide, 1169.
 —— solubility of metallic sulphides in thio-acids, 1169.
- Strebel and others, cultivation of cereals, 612.
- Strecker, K., specific heat of gaseous compounds of chlorine, bromine, and iodine with one another, and with hydrogen, 417.
- Streintz, F., galvanic polarisation, 410.
- Struve, H., dialysis of putrescible substances, 1176.
 —— milk, 1174.
- Stumpf, alteration in the secretion of milk under the influence of drugs, 818.
 —— amount of gluten in starch, 236.
- Stutzer, A., occurrence of nuclein in moulds and in yeast, 1166.
- Stutzer, A., and W. Klingenbergs, decomposition of nitrogenous animal manures, 615.
- Stutzer. See also Klingenbergs.
- Süssenguth, H., monobromopseudo-cumic acid and dibromomesitylenic acid, 469.
- Sutton, F., hay and ensilage from a poor quality of grass, 1026.
- Szabó, J., garnet and cordierite in the trachytes of Hungary, 166.
- Sztankovanszky. See Kratschmer.
- Swarts, T., contributions to the history of the isomerism of the dibromo-camphors, 214.
- T.**
- Tamm, A., analysis of iron, 510.
- Tanret, caffeine, 97.
- Tappeiner, H., comparative investigation of intestinal gases, 928.
 —— fermentation of cellulose, 1077.
 —— marsh-gas fermentation in the mud of ditches, swamps, and sewers, 1177.
- Taquet, C., chromic selenite, 717.
- Tauber, E., estimation of phosphorus by the molybdate method, 750.
- Taylor, J., preparation of hydrogen sulphide from coal-gas, 824.
- Taylor, I., Rupert's drops, 422.
- Tcherniac, J., and R. Hellon, thiocyanacetone, 654.
- Tcherniac, J., and T. H. Norton, thiocyanopropimine, 568.
- Tcherniac, J., and others, manufacture of thiocyanates, 639.
- Tecklenburg, the clay-ironstone of Rheinhesse, 448.
- Teller, F., and C. v. John, dioritic rocks of Klausen, in the Tyrol, 1069.
- Ter-Grigorianz, hemialbumosuria, 1162.
- Terreil, A., mineral water at Mont-ron (Loire), 1071.
- Teuchert, irrigation of meadows by waste water from beet-sugar factories, 500.
- Thalén, T., spectral researches on scandium, ytterbium, erbium, and thulium, 954.
- Than, C. v., examination of illuminating gas, 629.
- Thénard, P., black phosphorus, 150.
- Thomas, C., examination of wine coloured by aromatic sulphonic derivatives, 625.
- Thomas, N. W., and E. F. Smith, electrolysis of bismuth solutions, 1034.
- Thompson, C., lithium citrate, 1086.
- Thompson, C. M., metazophenylglyoxylic acid, 998.
- Thomsen, J., heat of formation of carbon tetrachloride and ethylene perchloride, 544.
 —— heat of formation of the chlorides and oxides of antimony and bismuth, 544.
 —— heat of formation of the chlorides of phosphorus and arsenic, 544.
 —— hydrogen gold chloride, 1054.
 —— method of estimating the heat of formation of difficultly combustible volatile carbon-compounds, 543.
 —— thermochemical investigation of the chlorides of iodine, 543.
 —— thermochemical investigation on the chlorides of sulphur, selenium, and tellurium, 543.
- Thomson, R. T., litmus, methyl-orange, phenacetolin, and phenolphthalein as indicators, 682, 824.
 —— use of rosolic acid as indicator; additional notes on phenolphthalein and methyl-orange, 827.
- Thoulet and Lagarde, specific heats of small quantities of substances, 6.
- Thresh, J. C., the Orchard alum spring, 171.
- Thümen, F. v., and others, vine diseases, 110.
- Tichborne, C. R. C., new form of apparatus for estimating ammonia in potable waters, 382.
 —— preparation of a volumetric solution for determining the hardness of water, 516.
- Tichomiroff. See Lidoff.
- Tiemann, F., α -phenamidoisobutyric acid and its amide and nitril, 199.
 —— triphenyl orthoformate, 340.

- Tiemann, F., and R. Kraaz, constitution of eugenol, 200.
 —— derivatives of homoferulic acid, 198.
 Tiemann, F., and R. Ludwig, isometric nitrobenzaldehydes, 586.
 —— metahydroxybenzaldehyde and some of its derivatives, 188.
 Tiemann, F., and K. Piest, phenylphenamidoacetic acid, and its amide and nitril, 198.
 Tiemann, F., and R. Stephan, nitrils of α -phenamido-, α -paratoluamido-, and α -orthotoluamido-propionic acids, and their amides and nitrils, 199.
 Tiemann, F., and W. Will, constitution of aesculetin, 199.
 Tilden, W. A., hydrocarbons of the formula $(C_5H_8)_n$, 75.
 Timiriazeff, C., chlorophyll and the distribution of energy in the solar spectrum, 697.
 Tobias, G., behaviour of alkaline phosphates to various indicators, 380.
 —— formanilide and its homologues, 325.
 —— formation of anilides, 325.
 Tobin, T. W., explosive and dangerous dusts, 836.
 Tobisch, influence exerted by the weight of potato sets, 236.
 Törnebohm, A. E., occurrence of iron-ores at Taberg, in Smaaland, 429.
 Tollens, B., ammoniacal silver solution as reagent for formaldehyde, 125.
 Tommasi, D., action of aluminium on cupric chloride, 19.
 —— action of light on silver bromide, 3.
 —— electrolysis of hydrochloric acid, 142.
 —— ferric hydrates, 24.
 —— heat of combination of glycollates, 775.
 —— heat of formation of glycollates, 708.
 —— laws of thermal constants of substitution, 143.
 —— nascent hydrogen, 7.
 —— stability of cupric hydroxide, 19.
 —— zinc-carbon couples in electrolysis, 4.
 Tommasi, D., and G. Pellizzari, change which ferric hydrate undergoes after a time, 24.
 Töpsoe, H., estimation of chlorides, bromides, and iodides in presence of sulphuretted hydrogen, 508.
 Tosse. See Claus.
 Traub, M. C., action of phthalic anhydride on quinoline, 667.
 Traube, J., action of cyanogen chloride on amido-acids, 192.
 —— contributions to the knowledge of meta-uramidobenzoic acid and carbamidodibenzoinic acid, 194.
 Traube, M., a correction, 709.
 —— action of nascent hydrogen on oxygen gas, 900.
 —— action of platinum and palladium on carbonic oxide and hydrogen, 422.
 —— activity of oxygen, 282.
 —— oxidation of carbonic oxide by palladium hydride and oxygen, 150.
 Treadwell, F. P., and V. Meyer, molecular weight of isoindole, 665.
 Treadwell, F. P., and B. Westenberger, nitrosoketones, 572.
 Trechmann, C. O., epistilbite, 442.
 Tréves, prevention of boiler explosions, 250, 835.
 Troost, L., boiling point of selenium, 17.
 Trouvé, modification of the bichromate battery, 700.
 —— reply to the observations of Reynier on bichromate batteries, 765.
 Trzeinski, W., action of dibromobarbituric acid on thiocarbamide and thiocyanates, 913.
 Tschirch, A., microchemical reaction methods, 376.
 Tschuschke, A., manuring sugar-beet, 823.
 Tyndall, J., unobserved resemblance between carbonic anhydride and carbon bisulphide, 1049.
 Typke, P. G. W., nitro-derivatives of resorcinol, 917.

U.

- Ullik, F., nitrogenous constituents of malt, wort, beer, and bread, 821.
 Ungern Sternberg, T. v., the Rapakiwi granite from Finland, 447.
 Urech, F., influence of mass and time on the inversion of sugar, 306.
 —— effect of temperature and concentration of acid on the rate of inversion of saccharose, 1077.
 —— rapidity of separation of cuprous oxide by the action of invert-sugar on Fehling's solution, 385.
 —— strobometric determination of the rate of inversion of cane-sugar, and transition of the biotation of milk-sugar to its normal rotation, 174.
 Urech. See also Hell.

V.

- Van der Meulen.** See **Mulder.**
Venator, E., strontianite in Westphalia, 431.
Vergeraud. See **Cros.**
Verneuil, nitrogen selenide, 423.
Vieille, measurement of pressures developed in closed vessels by the explosion of gaseous mixtures, 542.
 — specific heats of gases at high temperatures, 771, 898.
Vieille. See also **Berthelot.**
Vieth, P., and others, cheese, oleomargin-cheese, &c., 256.
Violle, J., apparatus for the determination of specific heats by cooling, 6.
 — radiation from silver at the solidifying point, 771.
Vogel, A., estimation of the fertility of a soil, 517.
Vogel, H. W., Lockyer's dissociation theory, 762.
 — modification of silver bromide and chloride, 936.
Vogler, C. A., variations of the amount of oxygen in the atmosphere, 284, 551.
Vortmann, G., cobalt sulphate, 25.
 — cobaltamine compounds, 25.
 — direct estimation of chlorine in presence of bromine and iodine, 119.
 — separation of nickel from cobalt, 621.
Vortmann. See also **S kraup.**
Voswinckel, H., new derivatives of salicylaldehyde, 189.
Vries, H. de, function of resins in plants, 365.

W.

- Waage**, A., action of ammonia on propaldehyde, 39.
Wachtel, G., utilisation of the nitrogen compounds from the manufacture of sulphuric acid, 130.
Wachter, H., analysis of *Markgräfler* of different districts and vintages, 631.
Wächter, F., particles of matter in the electric spark, 415.
Wagener, G., glass enamels, porcelain, and refractory clays, 397.
Wagner, A., oxygen prepared from potassium chlorate, 281.
Wagner, F., influence of organic manures on the temperature of the soil, 821.

- Wagner**, P., influence of the state of division of manures on their action, 117.
Wagner. See also **L. Mayer.**
Walbroth, K. A., action of microcosmic salt on various oxides, 850.
Walder, H., β -dinaphthol, 208.
 — α - β -hydroxynaphthobenzoic acid, 666.
Wallace, W., decay of building stones, 1036.
 — insensibility arising from a deficiency of oxygen in the air, 819.
Wallach, O., action of phosphorus pentachloride on acid amides, 48.
 — conversion of tolyldiamine into an amidocresol and γ -orcinol, 329.
 — new azo- and diazo-compounds, 584.
 — metanitriles, 577.
 — oxaline and gloxalines, 910.
Wallach, O., and E. Schulze, azo- and diazo-derivatives of phenylenediamine, 583.
Wallach, O. and M. Wüsten, reaction of aromatic amines with lactic acid, 1096.
Walther, F., experiments on the value of various fodders for cows, 820.
Waltz, G., ethylic propyl- and isopropylethenyltricarboxylates, 46.
Warden, C. J. H., ash of *Pistia stratiotes* or "pana salt," 822.
Warington, R., nitrification of soils, 115.
Wartha, V., estimation of sulphurous acid in wine, 621.
Wassilieff, N. P., influence of calomel on fermentation and the life of microorganisms, 743.
Wasum, A., influence of sulphur and copper on steel, 404.
Weber, A., calcium chloride, 151.
Weber. See also **Martini.**
Weddige, A., tribasic nitrophenyl orthoformate, 340.
Wegscheider, R., derivatives of opionic acid, 996.
 — isovanillin, 190.
Wegscheider. See also **Goldschmidt.**
Wehmer, J., preparation of pressed yeast, 692.
Weidel, H., and K. Hazara, cinchonine, 222.
Weidel, H., and M. Russo, researches on pyridine, 483.
Weidmann, M., composition and ripening of Emmenthal cheese, 692.
 Weil's method for the determination of copper, iron, and antimony, 509.
Weinberg. See **Friedländer.**

- Weisbach, A., brucite, 1061.
 — mineralogical notes, 432.
- Weiske, H., occurrence of crystals of ammonium magnesium phosphate in wine, 609.
- Weiske, H., and others, composition and feeding value of *Sympyrum aspernum*, 613.
 — effect of food on sheep of different breeds, 226.
- Weith. See Merz.
- Weldon, W., manufacture of sodium sulphide, 627.
- Weller, A., a higher oxide of titanium, 295.
 — detection and estimation of titanium, 381.
 — ethynitraniline, 579.
 — phenacyl ethylanilide, 582.
- Wengell, W. T., preparation of phosphoric acid by the oxidation of phosphorus with air in presence of moisture, 1050.
- Werner, H., the thiocyanate reaction for iron, 510.
- Wesendonck, K., spectra of carbon compounds, 761.
- Westenberger. See Treadwell.
- Weyl, T., influence of chemical agents on the assimilative capacity of green plants, 611.
- Wichelhaus, H., dyestuffs from dimethylaniline and chloranil, 1098.
- Widmann, O., α - and ι -dichloronaphthalenes, 208.
 — synthesis of indole from cuminol, 329.
- Wiedemann, E., constitution of hydrated salts, 780.
 — dissociation-heat of the water-molecule and the electric luminosity of gases, 547.
 — molecular refraction, 762.
 — thermochemical researches, 704.
- Wiegand, E., estimation of titanic acid in presence of iron, 381.
- Wiegand. See also Beilstein.
- Wieland, J., alkalimetric indicators, 1167.
- Wierss. See Jacobsen.
- Wiesner, uranyl potassium chromate, 425.
- Wiik, F. J., emerald from Paavo in Finland, 561.
 — relation between the optical properties and chemical composition of pyroxene and amphibole, 560.
 — the so-called ersbyite from Pargas, 561.
- Wiley, H. W., estimation of dextrose, maltose, and dextrin, in starch-sugar, 123.
- Will, H., effect of steeping and drying on the germination of seeds, 490.
- Will, W., and K. Albrecht, diabase from Weilburg, 959.
- Will. See also Tiemann.
- Willgerodt, C., acetone-chloroform, 1079.
 — bye-products in the preparation of acetone-chloroform, 177.
 — conversion of acetone-chloroform into hydroxyisobutyric acid, 177.
- Williams, G. H., the eruptive rocks near Tryberg in the Black Forest, 723.
- Willm, T., chemistry of the platinum metals, 1057.
 — magnetic property of platinum ore, 859.
 — preliminary notice on a substance obtained from native platinum, 954.
- Wilson, W. P., elimination of carbonic anhydride by plants in absence of oxygen, 105.
- Winkelmann. See Nies.
- Winssinger. See Spring.
- Winther, A., process for preparing orcinol, 893.
- Wislicenus, J., methyl- β -butyl ketone and its derivatives, 966.
- Wispeki, P., derivatives of mesitylene, 1095.
- Wispeki, P., and R. Zuber, action of allyl chloride on benzene in presence of aluminium chloride, 977.
- Witkowski, A., theory of galvanic circuits, 948.
- Wittenberg, M., and V. Meyer, benzil, 803.
- Wittjen, B., and H. Precht, blue rock-salt, 1051.
- Wittmack, detection of adulteration of flour with rye-meal, 392.
- Wolde, W., rice and earth-nut meal as food for milch cows, 820.
- Wolff, C. H., detection of rosaniline hydrochloride in wine by means of stearin, 384.
 — examination of molasses for dextrin syrup, 624.
- Wolff, L., lactones of normal caproic acid, 455.
- Wollny, E., effect on the fertility of the soil produced by covering it with farmyard manure, 237.
 — influence of climate and weather on the amount of carbonic anhydride in air, 614.
 — influence of the state of aggregation on the temperature of and moisture in a soil, 500.
- Wood, C. H., and E. L. Barret, notes on cinchona alkaloids, 1018.

- W**orm-Müller, estimation of sugar in urine, 829.
Worm-Müller, and J. Otto, Schwarz's process for preparing pure grape-sugar, 565.
Worms, R., constitution of nitro-naphthols, 69.
Wortmann, J., diastatic ferment of bacteria, 930.
Wortschach, G., the granite hills of Konigshain in Oberlausitz, with special regard to the minerals found therein, 446.
Wright, L. T., colloidal copper sulphide, 1054.
Wroblewski, S., absorption of gases by liquids under high pressures, 418.
Wroblewsky, S., and K. Olszewski, liquefaction of nitrogen and of carbonic oxide, 781, 952.
Wüsten. See Wallach.
Wurtz, A., quaternary base derived from hydroxylamine, 923.

Y.

- Y**oung, S., hepto- and octo-lactones, 445.
 — peculiar decomposition of the ethereal salts of substituted aceto-acetic acids, 456.

Z.

- Z**ander, A., specific volumes of allyl and propyl compounds, 13.
Zatzek, E., beeswax, 39.
Zecchini, M., compact magnetic iron-ore from Cogne, Valley of Aosta, 429.
Zeisel, S., colchicine and colchiceine, 672.
Zeisel. See also Lieben.
Zimmermann, J., and M. Knyrim, action of ethyl chloracetate on primary diamines, 797.
Zincke, T., action of amines on quinones, 1117.
 — phenylhydrazine derivatives of the quinones, 1135.
Zincke, T., and F. Brauns, action of amines on quinones, 209.
Zuber. See Wispek.
Zulkowsky, K., analysis of fats, 936, 1036.
Zweifel, P., behaviour of blood when deprived of oxygen, 818.
 — scientific basis of antiseptics, and origin of septic poison, 937.